1986 ANNUAL INDEXES

Textile Research Journal

Volume 56

AUTHOR AND TITLE INDEX, pp. 776–782

MONTH	PAGES
January	1–76
February	77–156
March	157–218
April	219–280
May	281–342
June	343–404

SUBJECT INDEX, pp. 783–792

MONTH	PAGES
July	405–466
August	467–528
September	529–590
October	591–652
November	653–714
December	715–792

AUTHOR AND TITLE INDEX

Abbott, G. M. Role of Press Wall Friction in the High-Density Compression of Wool Bales (*Nason*) 715

Abhyankar, Prashant N. Reply to "Comments on 'A New and Effective Method for Removing DMDHEU Crosslinks from Cotton'" (*Beck, Ladisch, Rowland*) 401

Effect of Different Catalysts on the DMDHEU-Cotton Cellulose Reaction (*Beck, Ladisch, Frick*) 551

Acar, M. Instability Tests for Air-Jet Textured Yarns (*Demir, Wray*) 191

Agarwal, B. R. Feasibility of Single Jersey Fabric from Open-End Spun Blended Yarn (*Sharma, Mukhopadhyay*) 249

Agarwal, Radha Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Mechanical and Physical Properties (*Varma, Varma*) 364

Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Sorption and Dyeability (*Varma, Varma*) 438

Alberti, Guido Effect of Electrolytes on the Dyeing of Poly-acrylonitrile Fiber with Anthraquinone Cation Dyes (*De Giorgi, Cerniani*) 379

Amirbayat, J. Analysis of Drape by Means of Dimensionless Groups (*Hearle*) 727

Aoki, Yoshihide Microstructure of Poly(ethylene Terephthalate) Tire Yarn and Its Relation to Heat Generation in Rubber (*Yabuki, Iwasaki*) 41

Aravindanath, S. Further Evidence for the Presence of Cellulose I and II in the Same Cross Section of Partially Mercerized Cotton Fibers (*Bhama Iyer, Sreenivasan*) 211

Arns, W. Quantitative Fiber Mixture Analysis by Scanning Electron Microscopy Part I: Blends of Mohair and Cashmere with Sheep's Wool (*Wortmann*) 442

Backe, Everett E. Effect of Short Fiber Content in Cotton on Plant Performance and Quality 112

Bailey, A. I. Effect of a Softening Agent on Yarn Pull-out Force of a Plain Weave Fabric (*Sebastian, Briscoe, Tabor*) 604

Bajaj, P. Crosslinked Acrylic Acid Based Thickeners: Preparation and Performance in Reactive Printing of Cotton (*Chavan, Bhatia*) 63

Balasubramanya, R. H. Occurrence of Nitrogen-Fixing Bacteria on Bracts, Locules, and in Cotton Dust (*Paralikar*) 521

Ball, Peter Crosslinking Effects in Reactive Dyeing of Protein Fibers (*Meyer, Zollinger*) 447

Banerjee, S. K. Fireproofing Jute (*Day, Ray*) 338

Barella, A. Influence of Carding Technique on Yarn Tenacity Response to Increasing Rotor Speed 336

Influence of a Yarn Extractive Nozzle on the Apparent Loss of Twist in Rotor Open-End Acrylic Staple Spun Yarns (*Manich, de Castellar*) 207

Apparent Loss of Twist in Blended Polyester-Cotton Ring and Rotor Spun Yarns (*Manich, de Castellar*) 646

Bargeron, J. D. III Preliminary Investigation of the Length Measurement of Cotton Fibers with the Peyer Texlab System: Comparability and Repeatability 121

Comparison of Several Nep Determination Methods (*Harrison*) 77

Bateup, B. O. Selective Scouring of Dirt from Greasy Wool Part I: A Strategy to Improve Dirt Recovery from Scour Liquor Effluent (*Warner*) 489

Beck, Keith R. Reply to "Comments on 'A New and Effective Method for Removing DMDHEU Crosslinks from Cotton'" (*Abhyankar, Ladisch, Rowland*) 401

Effect of Different Catalysts on the DMDHEU-Cotton Cellulose Reaction (*Abhyankar, Ladisch, Frick*) 551

Behery, Hassan M. Comparison of Fabric Hand Assessment in the United States and Japan 227

Benerito, R. R. Conversion of Cellulose I to Stable Cellulose III (*Yatsu, Calamari*) 419

Berglund, L. G. Skin Friction and Fabric Sensations in Neutral and Warm Environments (*Gwosdow, Stevens, Stolwijk*) 574

Berni, R. J. Chemical Analyses of Washed, Bleached, and Scoured and Bleached Cotton Fiber (*Domelsmith, Cocke*) 14

Bhalla, G. L. Grafting Methyl-Methacrylate on DC-Corona and Chemically Pretreated Wool Fabric (*Nigam*) ... 585

Bhama Iyer, P. Further Evidence for the Presence of Cellulose I and II in the Same Cross Section of Partially Mercerized Cotton Fibers (*Aravindanath, Sreenivasan*) 211

Recrystallization of Cellulose (*Sreenivasan, Chidambareswaran, Patil*) 509

Milling of Partially Mercerized Cellulose (*Sreenivasan, Chidambareswaran, Patil*) 647

Bhatia, Manjeet Crosslinked Acrylic Acid Based Thickeners: Preparation and Performance in Reactive Printing of Cotton (*Bajaj, Chavan*) 63

Bialek, Urszula Physical Properties of Weft Knitted Fabrics (*Żurek, Cislo, Dziewiecka*) 241

Branson, Donna H. Thermal Response Associated with Prototype Pesticide Protective Clothing (*DeJonge, Munson*) 27

Briant, D. W. Potentiometric Titration of Amidomethylol

1986 ANNUAL INDEXES

Textile Research Journal

Volume 56

AUTHOR AND TITLE INDEX, pp. 776–782

MONTH	PAGES
January	1–76
February	77–156
March	157–218
April	219–280
May	281–342
June	343–404

SUBJECT INDEX, pp. 783–792

MONTH	PAGES
July	405–466
August	467–528
September	529–590
October	591–652
November	653–714
December	715–792

AUTHOR AND TITLE INDEX

Abbott, G. M. Role of Press Wall Friction in the High-Density Compression of Wool Bales (*Nason*) 715

Abhyankar, Prashant N. Reply to "Comments on 'A New and Effective Method for Removing DMDHEU Crosslinks from Cotton'" (*Beck, Ladisch, Rowland*) 401

Effect of Different Catalysts on the DMDHEU-Cotton Cellulose Reaction (*Beck, Ladisch, Frick*) 551

Acar, M. Instability Tests for Air-Jet Textured Yarns (*Demir, Wray*) 191

Agarwal, B. R. Feasibility of Single Jersey Fabric from Open-End Spun Blended Yarn (*Sharma, Mukhopadhyay*) 249

Agarwal, Radha Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Mechanical and Physical Properties (*Varma, Varma*) 364

Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Sorption and Dyeability (*Varma, Varma*) 438

Alberti, Guido Effect of Electrolytes on the Dyeing of Poly-acrylonitrile Fiber with Anthraquinone Cation Dyes (*De Giorgi, Cerniani*) 379

Amirbayat, J. Analysis of Drape by Means of Dimensionless Groups (*Hearle*) 727

Aoki, Yoshihide Microstructure of Poly(ethylene Terephthalate) Tire Yarn and Its Relation to Heat Generation in Rubber (*Yabuki, Iwasaki*) 41

Aravindanath, S. Further Evidence for the Presence of Cellulose I and II in the Same Cross Section of Partially Mercerized Cotton Fibers (*Bhama Iyer, Sreenivasan*) 211

Arns, W. Quantitative Fiber Mixture Analysis by Scanning Electron Microscopy Part I: Blends of Mohair and Cashmere with Sheep's Wool (*Wortmann*) 442

Backe, Everett E. Effect of Short Fiber Content in Cotton on Plant Performance and Quality 112

Bailey, A. I. Effect of a Softening Agent on Yarn Pull-out Force of a Plain Weave Fabric (*Sebastian, Briscoe, Tabor*) 604

Bajaj, P. Crosslinked Acrylic Acid Based Thickeners: Preparation and Performance in Reactive Printing of Cotton (*Chavan, Bhatia*) 63

Balasubramanya, R. H. Occurrence of Nitrogen-Fixing Bacteria on Bracts, Locules, and in Cotton Dust (*Paralikar*) 521

Ball, Peter Crosslinking Effects in Reactive Dyeing of Protein Fibers (*Meyer, Zollinger*) 447

Banerjee, S. K. Fireproofing Jute (*Day, Ray*) 338

Barella, A. Influence of Carding Technique on Yarn Tenacity Response to Increasing Rotor Speed 336

Influence of a Yarn Extractive Nozzle on the Apparent Loss of Twist in Rotor Open-End Acrylic Staple Spun Yarns (*Manich, de Castellar*) 207

Apparent Loss of Twist in Blended Polyester-Cotton Ring and Rotor Spun Yarns (*Manich, de Castellar*) 646

Bargeron, J. D. III Preliminary Investigation of the Length Measurement of Cotton Fibers with the Peyer Texlab System: Comparability and Repeatability 121

Comparison of Several Nep Determination Methods (*Harrison*) 77

Bateup, B. O. Selective Scouring of Dirt from Greasy Wool Part I: A Strategy to Improve Dirt Recovery from Scour Liquor Effluent (*Warner*) 489

Beck, Keith R. Reply to "Comments on 'A New and Effective Method for Removing DMDHEU Crosslinks from Cotton'" (*Abhyankar, Ladisch, Rowland*) 401

Effect of Different Catalysts on the DMDHEU-Cotton Cellulose Reaction (*Abhyankar, Ladisch, Frick*) 551

Behery, Hassan M. Comparison of Fabric Hand Assessment in the United States and Japan 227

Benerito, R. R. Conversion of Cellulose I to Stable Cellulose III (*Yatsu, Calamari*) 419

Berglund, L. G. Skin Friction and Fabric Sensations in Neutral and Warm Environments (*Gwosdow, Stevens, Stolwijk*) 574

Berni, R. J. Chemical Analyses of Washed, Bleached, and Scoured and Bleached Cotton Fiber (*Domelsmith, Cocke*) 14

Bhalla, G. L. Grafting Methyl-Methacrylate on DC-Corona and Chemically Pretreated Wool Fabric (*Nigam*) ... 585

Bhama Iyer, P. Further Evidence for the Presence of Cellulose I and II in the Same Cross Section of Partially Mercerized Cotton Fibers (*Aravindanath, Sreenivasan*) 211

Recrystallization of Cellulose (*Sreenivasan, Chidambareswaran, Patil*) 509

Milling of Partially Mercerized Cellulose (*Sreenivasan, Chidambareswaran, Patil*) 647

Bhatia, Manjeet Crosslinked Acrylic Acid Based Thickeners: Preparation and Performance in Reactive Printing of Cotton (*Bajaj, Chavan*) 63

Bialek, Urszula Physical Properties of Weft Knitted Fabrics (*Żurek, Cislo, Dziewiecka*) 241

Branson, Donna H. Thermal Response Associated with Prototype Pesticide Protective Clothing (*DeJonge, Munson*) 27

Briant, D. W. Potentiometric Titration of Amidomethylol

(N−CH_2OH) Groups in Durable Press Fabrics (*Kamath, Hornby, Weigmann*) 59
Briscoe, B. J. Effect of a Softening Agent on Yarn Pull-out Force of a Plain Weave Fabric (*Sebastian, Bailey, Tabor*) 604
Brooks, J. H. Surface Energy of Wool (*Rahman*) 164
Effect of Shrinkproofing Pretreatments with Solvents and Polyamines on the Surface Energy of Wool (*Rahman*) 473
Brown, R. L. Resin Treatment of Polyester-Cotton Fabric at High Speeds Via Semistable Foam Finishing (*Bryant*) 75
Bryant, G. M. Resin Treatment of Polyester-Cotton Fabric at High Speeds Via Semistable Foam Finishing (*Brown*) 75
Buckenham, Peter A Fiber Snippet Preparer 341

Calamari, T. A. Jr. Conversion of Cellulose I to Stable Cellulose III (*Yatsu, Benerito*) 419
Capablanca, J. S. Factors Affecting the Zeta Potential at Wool Fiber Surfaces (*Watt*) 49
Carr, Christopher M. Detection and Analysis by XPS of Sulfhydryl Groups at the Surface of Wool Fibers (*Leaver, Hughes*) 216
X-Ray Photoelectron Spectroscopic Study of the Wool Fiber Surface (*Leaver, Hughes*) 457
Using Electron Microscopy and X-Ray Microanalysis to Study Wool Morphology and Composition (*Holt, Drennan*) 669
Cates, D. M. Application of Water Soluble Anionic Dyes to Solvent-Treated Polyester (*Kirby*) 304
Cerniani, Ado Effect of Electrolytes on the Dyeing of Polyacrylonitrile Fiber with Anthraquinone Cation Dyes (*De Giorgi, Alberti*) 379
Chahal, Vinod Measuring Filling Yarn Tension and Its Influence on Fabrics Woven on a Projectile Weaving Machine (*Mohamed*) 324
Chattopadhyay, R. Incidence of Fiber Reversal and Change in Fiber Configuration in Rotor Spinning (*Sarkar*) .. 71
Chavan, R. B. Crosslinked Acrylic Acid Based Thickeners: Preparation and Performance in Reactive Printing of Cotton (*Bajaj, Bhatia*) 63
Cheek, Lenore Effects of Sodium Hydroxide and Liquid Ammonia Treatments on the Coverage of Neps in Dyed Cotton Fabric (*Wilcock, Hsu*) 569
Chidambareswaran, P. K. Recrystallization of Cellulose (*Bhama Iyer, Sreenivasan, Patil*) 509
Milling of Partially Mercerized Cellulose (*Sreenivasan, Bhama Iyer, Patil*) 647
Chmielewski, Margaret A. Contribution of Urea to the Textile Performance of Formaldehyde-Treated Cotton Fabrics (*Gonzales, Rowland*) 317
Cislo, Romualda Physical Properties of Weft Knitted Fabrics (*Żurek, Bialek, Dziewiecka*) 241
Cocke, J. B. Chemical Analyses of Washed, Bleached, and Scoured and Bleached Cotton Fiber (*Domelsmith, Berni*) 14
Coderch, M. L. Isolation and Partial Characterization of Glycolipids from Wool Fibers (*Nogués, Erra*) 588
Shrinkage Modifications of Wool Fabrics by Sulphite Treatments in Aqueous Organic Solvent Media: Effect of the Organic Solvent on the Internal Lipids (*Erra, Juliá, Infante, García Dominguez*) 611
Cooke, W. D. An Alternative Weft Knitting Notation (*Kamal*) 519
Effect of Twist Factor on the Knitability of Combed Cotton Yarn (*Kamal*) 679
Crow, Rita M. Stresses in Clothing as Related to Seam Strength (*Dewar*) 467

Day, A. Fireproofing Jute (*Banerjee, Ray*) 338
Day, M. Water Vapor Transmission Rates Through Textile Materials as Measured by Differential Scanning Calorimetry (*Sturgeon*) 157
Day, Mary O. Applying a Durable Press Finish to Wet Fabrics Using a Low Wet Pickup Method to Conserve Energy (*Reeves, Phillips*) 101
De Boos, A. G. Hydrothermal Setting of Wool-Polyester Blend Fabrics (*Harrigan, Wemyss*) 261
de Castellar, M. D. Influence of a Yarn Extractive Nozzle on the Apparent Loss of Twist in Rotor Open-End Acrylic Staple Spun Yarns (*Manich, Barella*) 207
Apparent Loss of Twist in Blended Polyester-Cotton Ring and Rotor Spun Yarns (*Barella, Manich*) 646
De Giorgi, Maria Rita Effect of Electrolytes on the Dyeing of Polyacrylonitrile Fiber with Anthraquinone Cation Dyes (*Alberti, Cerniani*) 379
de Jong, S. A Model for Predicting Set in Helices (*Michie*) 219
A Mechanical Model for the Lateral Compression of Woven Fabrics (*Snaith, Michie*) 759
DeJonge, Jacquelyn O. Thermal Response Associated with Prototype Pesticide Protective Clothing (*Branson, Munson*) 27
De Langhe, E. Never Dried Cotton Fibers Have a Circular Cross Section (*Peeters, Wijsmans, De Langhe, Waterkeyn*) 529
Never Dried Cotton Fibers as a Meaningful Expression of Maturity (*Peeters, De Langhe, Wijsmans*) 621
Profile and Volume of Never Dried Cotton Fibers (*Peeters, De Langhe*) 665
Cellulose Packing Density in the Secondary Wall of Never Dried Cotton Fibers (*Peeters*) 755
De Langhe, I. Never Dried Cotton Fibers Have a Circular Cross Section (*Peeters, Wijsmans, De Langhe, Waterkeyn*) 529
Never Dried Cotton Fibers as a Meaningful Expression of Maturity (*Peeters, Wijsmans, De Langhe*) 621
Profile and Volume of Never Dried Cotton Fibers (*Peeters, De Langhe*) 665
DeLuca, L. B. Determining Dust and Trash Contents of Cottons with the Cotton Particulates Analyzer Part I: Development of Equations Relating Dust and Trash Fractions 734
Demir, A. Instability Tests for Air-Jet Textured Yarns (*Acar, Wray*) 191
Dewar, Malcolm M. Stresses in Clothing as Related to Seam Strength (*Crow*) 467
Domelsmith, L. N. Chemical Analyses of Washed, Bleached, and Scoured and Bleached Cotton Fiber (*Berni, Cocke*) 14
Donaldson, Darrell Cotton Blend Fabrics from Polyester Core Yarns (*Harper, Ruppenicker*) 80
Drennan, John Using Electron Microscopy and X-Ray Microanalysis to Study Wool Morphology and Composition (*Carr, Holt*) 669
Dziewiecka, Malgorzata Physical Properties of Weft Knitted Fabrics (*Żurek, Cislo, Bialek*) 241

El-Farahaty, K. A. Optical Properties and Geometrical Parameters of Poly(*p*-phenylene Terephthalamide) Fibers (*Hamza*) 580
Erra, P. Isolation and Partial Characterization of Glycolipids from Wool Fibers (*Nogués, Coderch*) 588
Shrinkage Modifications of Wool Fabrics by Sulphite Treatments in Aqueous Organic Solvent Media: Effect of the Organic Solvent on the Internal Lipids (*Coderch, Juliá, Infante, García Dominguez*) 611
Ethridge, Don E. Market Values of Fiber Properties in Southeastern Textile Mills (*Hembree, Neeper*) 140
Etters, J. N. Tables of Numerical Solutions Involving the Boundary Layer Diffusion Equation (*Hurwitz*) 214
Evans, Janice P. Cotton Fiber Maturity by Image Analysis (*Thibodeaux*) 130

Evans, N. A. Photoprotection of Wool with a Sulfonated 2-(2'-Hydroxyaryl)-2H-Benzotriazole UV Absorber (*Waters, Wilshire*) 203

Farnworth, B. Comments on "Dynamic Surface Wetness of Fabrics in Relation to Clothing Comfort" 462
A Numerical Model of the Combined Diffusion of Heat and Water Vapor Through Clothing 653
Foley, C. A. Set in Bending of Australian Cashmere and Superfine Merino (*Tester*) 546
Folk, C. L. Filament-Wrapped Cotton Yarn Made from Card Web (*Salaun, Louis, Richard*) 768
Frick, J. G. Jr. Effects of Crosslink Distribution in Cotton Fibers 124
Effect of Different Catalysts on the DMDHEU-Cotton Cellulose Reaction (*Abhyankar, Beck, Ladisch*) 551
Fujii, Tomiko Spreading of Liquids in Textile Assemblies Part I: Capillary Spreading of Liquids (*Kawase, Sekoguchi, Minagawa*) 409
Spreading of Liquids in Textile Assemblies Part II: Effects of Softening on Capillary Spreading (*Kawase, Sekoguchi, Minagawa*) 617
Fukatsu, Kazuhiko Interaction of Wool Keratin Fibers and Copper(II) Ions (*Isa*) 774

Galuszynski, S. Effect of Fabric Structure on Fabric Resistance to Needle Piercing 339
García Dominguez, J. Shrinkage Modifications of Wool Fabrics by Sulphite Treatments in Aqueous Organic Solvent Media: Effect of the Organic Solvent on the Internal Lipids (*Erra, Coderch, Juliá, Infante*) 611
Garg, V. N. Plastic Deformation, Crazing, and Fracture Morphology of Acrylic Fibers (*Kulshreshtha, Sharma*) .. 484
Gonzales, Elwood J. Contribution of Urea to the Textile Performance of Formaldehyde-Treated Cotton Fabrics (*Chmielewski, Rowland*) 317
Foam Finishing Treatment of Cotton Fabrics with Formaldehyde Part I: Textile Physical Properties (*Reinhardt*) 497
Gorrafa, Adly A-M Effect of Gamma Radiation Sterilization on Nonwovens for Medical End Uses 337
Greven, R. Morphological Origin of the S-Carboxymethyl Kerateines of Wool (*Kaplin, Zahn*) 523
Grindstaff, T. H. Computer Model for Predicting Point-Bonded Nonwoven Fabric Strength, Part I (*Hansen*) 383
Gulrajani, M. L. A Low Temperature Scouring/Bleaching Process for Cotton Using Sodium Chlorite (*Venkatraj*) 476
Gwosdow, A. R. Skin Friction and Fabric Sensations in Neutral and Warm Environments (*Stevens, Berglund, Stolwijk*) 574

Hamza, A. A. Optical Properties and Geometrical Parameters of Poly(*p*-phenylene Terephthalamide) Fibers (*El-Farahaty*) 580
Hansen, S. M. Computer Model for Predicting Point-Bonded Nonwoven Fabric Strength, Part I (*Grindstaff*) 383
Harper, Robert J. Jr. Cotton Blend Fabrics from Polyester Core Yarns (*Ruppenicker, Donaldson*) 80
Harrigan, F. J. Hydrothermal Setting of Wool-Polyester Blend Fabrics (*De Boos, Wemyss*) 261
Harrison, R. E. Comparison of Several Nep Determination Methods (*Bargeron*) 77
Hearle, J. W. S. Analysis of Drape by Means of Dimensionless Groups (*Amirbayat*) 727
Hebert, Jacques J. Neps in Cotton Processing (*Mangialardi, Ramey*) 108
Hembree, Joel F. Market Values of Fiber Properties in Southeastern Textile Mills (*Ethridge, Neeper*) 140

Hermanns, K. Identifying Extractible Resin Fragments in Durable Press Cotton by 13C-NMR Spectroscopy (*Meyer, Kottes Andrews*) 343
Hikage, Yayoi Detachment of Solid Particulate Soils in a Laminar Flow—Influence of Particle Diameter on the Detachment of Spherical Glass Particles (*Iwasaki, Yabe*) 556
Hojo, Nobumasa Flammability Test of Poly(vinyl Alcohol) Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Shirai*) 218
Hollies, N. R. S. Reply to "Comments on 'Dynamic Surface Wetness of Fabrics in Relation to Clothing Comfort' " (*Scheurell, Spivak*) 463
Instrumental Techniques to Quantify Textural Change in Carpet Part I: Image Analysis (*Jose, Spivak*) 591
Holt, Leo A. Using Electron Microscopy and X-Ray Microanalysis to Study Wool Morphology and Composition (*Carr, Drennan*) 669
A Fluorescence Microscopy Study of the Diffusion of Some Nonionic Compounds into Wool from Solvent Mixtures (*Saunders*) 415
Hon, David N.-S. A Practical Process for Cutting Cotton Fiber 333
Hornby, S. B. Determination of Free Formaldehyde in Durable Press Fabric: Comparison of Cold Sulfite Method with Headspace Gas Chromatography (*Kamath, Weigmann*) 55
Potentiometric Titration of Amidomethylol ($N-CH_2OH$) Groups in Durable Press Fabrics (*Kamath, Briant, Weigmann*) 59
Hsu, Li-Hua Effects of Sodium Hydroxide and Liquid Ammonia Treatments on the Coverage of Neps in Dyed Cotton Fabric (*Cheek, Wilcock*) 569
Hughes, Anthony E. Detection and Analysis by XPS of Sulfhydryl Groups at the Surface of Wool Fibers (*Carr, Leaver*) 216
X-Ray Photoelectron Spectroscopic Study of the Wool Fiber Surface (*Carr, Leaver*) 457
Hurwitz, M. D. Tables of Numerical Solutions Involving the Boundary Layer Diffusion Equation (*Etters*) 214

Inagaki, Hiroshi Mechanism of Bilateral Staining of Merino Wool Fibers with Basic Dyes (*Sakabe, Ito, Miyamoto*) 635
Infante, R. Shrinkage Modifications of Wool Fabrics by Sulphite Treatments in Aqueous Organic Solvent Media: Effect of the Organic Solvent on the Internal Lipids (*Erra, Coderch, Juliá, García Dominguez*) 611
Isa, Mariko Interaction of Wool Keratin Fibers and Copper(II) Ions (*Fukatsu*) 774
Isshi, T. A Technique for Direct Measurement of Roving Speed and Its Application to Winding Draft Analysis (*Nakazawa, Shinohara, Matsuhashi*) 171
Ito, Hiraku Mechanism of Bilateral Staining of Merino Wool Fibers with Basic Dyes (*Sakabe, Miyamoto, Inagaki*) 635
Iwasaki, Mitsuo Microstructure of Poly(ethylene Terephthalate) Tire Yarn and Its Relation to Heat Generation in Rubber (*Yabuki, Aoki*) 41
Iwasaki, Yoshie Detachment of Solid Particulate Soils in a Laminar Flow—Influence of Particle Diameter on the Detachment of Spherical Glass Particles (*Hikage, Yabe*) 556

Jeziorny, Andrzej Density Correction of Nylon 6 Fiber Orientation 405
Johnson, Nigel A. G. Investigating Wool Fiber Damage by Image Analysis (*Zhao, Willard*) 464
Twist Distribution Along Sirospun Yarn (*Young*) 649
A Study of Wool Carbonizing Part I: Causes and Prevention of Localized Acid Damage in Carbonized Wool (*Zhao*) 741

Jose, D. J. Instrumental Techniques to Quantify Textural Change in Carpet Part I: Image Analysis (*Hollies, Spivak*) 591
Juliá, R. Shrinkage Modifications of Wool Fabrics by Sulphite Treatments in Aqueous Organic Solvent Media: Effect of the Organic Solvent on the Internal Lipids (*Erra, Coderch, Infante, García Dominguez*) 611

Kamal, M. S. An Alternative Weft Knitting Notation (*Cooke*) 519
Effect of Twist Factor on the Knitability of Combed Cotton Yarn (*Cooke*) 679
Kamath, Y. K. Determination of Free Formaldehyde in Durable Press Fabric: Comparison of Cold Sulfite Method with Headspace Gas Chromatography (*Hornby, Weigmann*) 55
Potentiometric Titration of Amidomethylol (N−CH_2OH) Groups in Durable Press Fabrics (*Hornby, Briant, Weigmann*) 59
Kaplin, I. J. Morphological Origin of the S-Carboxymethyl Kerateines of Wool (*Greven, Zahn*) 523
Kawasaki, Kiyoko Effect of Sodium Dodecyl Sulfate on Deposition of Polymer Latices onto Polyester and Cotton Fibers (*Tamai, Suzawa*) 598
Kawase, Tokuzo Spreading of Liquids in Textile Assemblies Part I: Capillary Spreading of Liquids (*Sekoguchi, Fujii, Minagawa*) 409
Spreading of Liquids in Textile Assemblies Part II: Effects of Softening on Capillary Spreading (*Sekoguchi, Fujii, Minagawa*) 617
Kim, S. L. Effects of Spinning Speed and Quench Air Temperature on the Characteristics of Melt Spun Poly(ethylene Terephthalate) Yarn 697
Kimura, Michiko Effect of Zeolite on the Dispersion Stability of Iron Oxide Particles (*Komaki, Yabe*) 309
Kinoshita, Takatoshi Dyestuff Diffusion in Oriented Polypeptide Membranes (*Mizutani, Takizawa, Tsujita*) 347
Kirby, R. D. Application of Water Soluble Anionic Dyes to Solvent-Treated Polyester (*Cates*) 304
Kirkpatrick, A. A New Approach to Wool Carbonizing ... 67
Komaki, Motoko Effect of Zeolite on the Dispersion Stability of Iron Oxide Particles (*Kimura, Yabe*) 309
Kottes Andrews, B. A. Assessment of Steady-State Free Formaldehyde in Durable Press Cotton Fabrics (*Reinhardt*) 115
Loss of Free Formaldehyde from Cotton Fabrics (*Reinhardt*) 144
Identifying Extractible Resin Fragments in Durable Press Cotton by 13C-NMR Spectroscopy (*Hermanns, Meyer*) 343
Krasny, John F. Apparel Flammability: Accident Simulations and Bench-Scale Tests 287
Kulshreshtha, A. K. Plastic Deformation, Crazing, and Fracture Morphology of Acrylic Fibers (*Garg, Sharma*) .. 484
Kumar, P. A. Determining Binder and Fiber Composition of Carbon Fiber Fabrics (*Nelson, Marconi*) 516
Kurose, Akio Flammability Test of Poly(vinyl Alcohol) Containing Dispersed Metal-Ethylenediamine Complexes (*Shirai, Hojo*) 218

Ladisch, Christine M. Reply to "Comments on 'A New and Effective Method for Removing DMDHEU Crosslinks from Cotton' " (*Abhyankar, Beck, Rowland*) 401
Effect of Different Catalysts on the DMDHEU-Cotton Cellulose Reaction (*Abhyankar, Beck, Frick*) 551
Lamb, P. R. Fiber Diameter and Length in Yarn Faults .. 526
Leaver, Ian H. Detection and Analysis by XPS of Sulfhydryl Groups at the Surface of Wool Fibers (*Carr, Hughes*) 216
X-Ray Photoelectron Spectroscopic Study of the Wool Fiber Surface (*Carr, Hughes*) 457
Ley, Kevin F. Examination of Proteins from Wool Cuticle by Two-Dimensional Gel Electrophoresis (*Marshall*) 772
Lord, Peter R. Plain-Weave Fabrics Made from Twistless and Low-Twist Staple Yarns (*Stuckey*) 533
Louis, Gain L. "X" Direction Filament-Wrapped Yarn (*Salaun*) 161
Filament-Wrapped Cotton Yarn Made from Card Web (*Salaun, Richard, Folk*) 768
Ly, Nhan G. Frictional Effects in Glass Fabric 22

MacLeod, Allan J. Diffusion Equation Calculations 587
Mangialardi, Gino Neps in Cotton Processing (*Hebert, Ramey*) 108
Manich, A. Influence of a Yarn Extractive Nozzle on the Apparent Loss of Twist in Rotor Open-End Acrylic Staple Spun Yarns (*de Castellar, Barella*) 207
Apparent Loss of Twist in Blended Polyester-Cotton Ring and Rotor Spun Yarns (*Barella, de Castellar*) 646
Marconi, J. F. Determining Binder and Fiber Composition of Carbon Fiber Fabrics (*Nelson, Kumar*) 516
Marshall, Robert C. Examination of Proteins from Wool Cuticle by Two-Dimensional Gel Electrophoresis (*Ley*) 772
Masuko, Fumi Gas Chromatographic and Mass Spectrometric Study of the Bromination of Protein Fibers with N-Bromosuccinimide and Triphenylphosphine (*Sakamoto, Nakanishi*) 429
Matsuhashi, S. A Technique for Direct Measurement of Roving Speed and Its Application to Winding Draft Analysis (*Nakazawa, Isshi, Shinohara*) 171
Mehta, R. D. Enhancing Flame Resistance of PBI by Blending with Other Fibers 527
Meyer, B. Identifying Extractible Resin Fragments in Durable Press Cotton by 13C-NMR Spectroscopy (*Hermanns, Kottes Andrews*) 343
Meyer, Ulrich Crosslinking Effects in Reactive Dyeing of Protein Fibers (*Ball, Zollinger*) 447
Mhadgut, D. V. Distribution of Cross-Sectional Area, Perimeter, Circularity, and Secondary Wall Thickness of Different Cotton Fibers During Growth (*Petkar, Oka*) .. 6[illegible]
Michie, N. A. A Model for Predicting Set in Helices (*de Jong*) 219
A Mechanical Model for the Lateral Compression of Woven Fabrics (*de Jong, Snaith*) 759
Miller, Bernard An Extended Range Liquid Extrusion Method for Determining Pore Size Distributions (*Tyomkin*) 35
Foam/Fabric Interaction Under Shear (*Sveda, Rebenfeld*) 674
Minagawa, Motoi Spreading of Liquids in Textile Assemblies Part I: Capillary Spreading of Liquids (*Kawase, Sekoguchi, Fujii*) 409
Spreading of Liquids in Textile Assemblies Part II: Effects of Softening on Capillary Spreading (*Kawase, Sekoguchi, Fujii*) 617
Miyamoto, Takeaki Mechanism of Bilateral Staining of Merino Wool Fibers with Basic Dyes (*Sakabe, Ito, Inagaki*) 635
Mizutani, Setsuko Dyestuff Diffusion in Oriented Polypeptide Membranes (*Takizawa, Kinoshita, Tsujita*) 347
Mohamed, Mansour H. Measuring Filling Yarn Tension and Its Influence on Fabrics Woven on a Projectile Weaving Machine (*Chahal*) 324
Mechanics of a Single Nozzle Air-Jet Filling Insertion System Part I: Nozzle Design and Performance (*Salama*) 683
Mechanics of a Single Nozzle Air-Jet Filling Insertion System Part II: Velocity Distribution and Design of the Air Guide System (*Salama*) 721
Moore, R. A. F. Effects of Fiber Structural Modification on the Dyeing Behavior and Mechanical Properties of Polyamide Yarns (*Weigmann*) 180
Dyeability of Nomex® Aramid Yarn (*Weigmann*) 254

Moreau, Jerry P. Evaluation of Fabrics Woven with Durable Polymeric Sizing Agents 627
Mukherjee, A. C. Surface Characteristics of Jute Fibers at Different Stages of Growth (*Mukhopadhyay, Mukhopadhyay*) 562
Mukhopadhyay, A. False Twist Texturization of Polypropylene Multifilament Yarns Part I: Time-Temperature Effects (*Sengupta, Sen*) 281
False Twist Texturization of Polypropylene Multifilament Yarns Part II: Reducing Feeder Yarn Crystallinity Through Tension Annealing (*Sengupta, Sen*) 389
False Twist Texturization of Polypropylene Multifilament Yarns Part III: Reducing Feeder Yarn Crystallinity Through Melt Blending with Small Amounts of Polyester and Polystyrene (*Sengupta, Sen*) 425
False Twist Texturization of Polypropylene Multifilament Yarns Part IV: Structural Influences on Dye Uptake (*Sengupta, Sen*) 511
Surface Characteristics of Jute Fibers at Different Stages of Growth (*Mukherjee, Mukhopadhyay*) 562
Mukhopadhyay, A. K. Surface Characteristics of Jute Fibers at Different Stages of Growth (*Mukherjee, Mukhopadhyay*) 562
Mukhopadhyay, D. Feasibility of Single Jersey Fabric from Open-End Spun Blended Yarn (*Sharma, Agarwal*) .. 249
Munson, Deanna Thermal Response Associated with Prototype Pesticide Protective Clothing (*Branson, DeJonge*) 27

Nagae, Sadahiko Prediction of Fabric Bagging from Mechanical Properties (*Yokura, Niwa*) 748
Nakanishi, Shigeko Gas Chromatographic and Mass Spectrometric Study of the Bromination of Protein Fibers with N-Bromosuccinimide and Triphenylphosphine (*Sakamoto, Masuko*) 429
Nakazawa, M. A Technique for Direct Measurement of Roving Speed and Its Application to Winding Draft Analysis (*Isshi, Shinohara, Matsuhashi*) 171
Namboodri, C. G. Foam Sizing of Cotton Blend Yarns: Slashing Trials 87
Nason, D. Role of Press Wall Friction in the High-Density Compression of Wool Bales (*Abbott*) 715
Neeper, Jarral T. Market Values of Fiber Properties in Southeastern Textile Mills (*Hembree, Ethridge*) 140
Nelson, K. H. Determining Binder and Fiber Composition of Carbon Fiber Fabrics (*Kumar, Marconi*) 516
Netravali, A. Effects of Strain Rate and Gauge Length on the Failure of Ultra-High Strength Polyethylene Fibers (*Schwartz, Sembach*) 502
Nevell, T. P. Effect of Manganese (II), Cobalt (II), and Copper (I) Hydroxides on the Kinetics of the Oxidation of Cellulose by Hypochlorite (*Singh*) 270
Nigam, J. K. Grafting Methyl-Methacrylate on DC-Corona and Chemically Pretreated Wool Fabric (*Bhalla*) ... 585
Niwa, Masako Prediction of Fabric Bagging from Mechanical Properties (*Yokura, Nagae*) 748
Nogués, B. Isolation and Partial Characterization of Glycolipids from Wool Fibers (*Coderch, Erra*) 588

Obendorf, S. Kay Heat Transfer Characteristics of Nonwoven Insulating Materials (*Smith*) 691
Oka, P. G. Distribution of Cross-Sectional Area, Perimeter, Circularity, and Secondary Wall Thickness of Different Cotton Fibers During Growth (*Petkar, Mhadgut*) ... 642
Özipek, Bülent Effects of Fiber Properties of Acrylics on Rotor Spinning 354

Paralikar, K. M. Occurrence of Nitrogen-Fixing Bacteria on Bracts, Locules, and in Cotton Dust (*Balasubramanya*) 521
Patil, N. B. Recrystallization of Cellulose (*Bhama Iyer, Sreenivasan, Chidambareswaran*) 509
Milling of Partially Mercerized Cellulose (*Sreenivasan, Bhama Iyer, Chidambareswaran*) 647
Peeters, M.-C. Never Dried Cotton Fibers Have a Circular Cross Section (*Wijsmans, De Langhe, De Langhe, Waterkeyn*) 529
Never Dried Cotton Fibers as a Meaningful Expression of Maturity (*De Langhe, Wijsmans, De Langhe*) ... 621
Profile and Volume of Never Dried Cotton Fibers (*De Langhe, De Langhe*) 665
Cellulose Packing Density in the Secondary Wall of Never Dried Cotton Fibers (*De Langhe*) 755
Petkar, B. M. Distribution of Cross-Sectional Area, Perimeter, Circularity, and Secondary Wall Thickness of Different Cotton Fibers During Growth (*Mhadgut, Oka*) 642
Phillips, Kathryn M. Applying a Durable Press Finish to Wet Fabrics Using a Low Wet Pickup Method to Conserve Energy (*Reeves, Day*) 101

Rahman, M. S. Surface Energy of Wool (*Brooks*) 164
Effect of Shrinkproofing Pretreatments with Solvents and Polyamines on the Surface Energy of Wool (*Brooks*) 473
Rajendran, S. A Quick, Room Temperature Method for Polyester-Cellulosic Blend Analysis (*Sivakumaran*) .. 213
Ramey, H. H. Jr. Neps in Cotton Processing (*Hebert, Mangialardi*) 108
Ray, P. K. Fireproofing Jute (*Banerjee, Day*) 338
Rebenfeld, Ludwig Foam/Fabric Interaction Under Shear (*Sveda, Miller*) 674
Reeves, Wilson A. Applying a Durable Press Finish to Wet Fabrics Using a Low Wet Pickup Method to Conserve Energy (*Day, Phillips*) 101
Reinhardt, Robert M. Assessment of Steady-State Free Formaldehyde in Durable Press Cotton Fabrics (*Kottes Andrews*) 115
Loss of Free Formaldehyde from Cotton Fabrics (*Kottes Andrews*) 144
Foam Finishing Treatment of Cotton Fabrics with Formaldehyde Part I: Textile Physical Properties (*Gonzales*) 497
Richard, L. J. Filament-Wrapped Cotton Yarn Made from Card Web (*Salaun, Louis, Folk*) 768
Rohner, Rolf M. Porosity Versus Segment Mobility in Dye Diffusion Kinetics—A Differential Treatment: Dyeing of Acrylic Fibers (*Zollinger*) 1
Rowland, Stanley P. Contribution of Urea to the Textile Performance of Formaldehyde-Treated Cotton Fabrics (*Gonzales, Chmielewski*) 317
Reply to "Comments on 'A New and Effective Method for Removing DMDHEU Crosslinks from Cotton'" (*Abhyankar, Beck, Ladisch*) 401
Rudra, R. R. Flaw in the Shirley Stiffness Tester 712
Ruppenicker, George Jr. Cotton Blend Fabrics from Polyester Core Yarns (*Harper, Donaldson*) 80

Sakabe, Hiroshi Mechanism of Bilateral Staining of Merino Wool Fibers with Basic Dyes (*Ito, Miyamoto, Inagaki*) 635
Sakamoto, Munenori Gas Chromatographic and Mass Spectrometric Study of the Bromination of Protein Fibers with N-Bromosuccinimide and Triphenylphosphine (*Masuko, Nakanishi*) 429
Salama, Mahmoud Mechanics of a Single Nozzle Air-Jet Filling Insertion System Part I: Nozzle Design and Performance (*Mohamed*) 683
Mechanics of a Single Nozzle Air-Jet Filling Insertion System Part II: Velocity Distribution and Design of the Air Guide System (*Mohamed*) 721

Salaun, Harold L. "X" Direction Filament-Wrapped Yarn (*Louis*) ... 161
Filament-Wrapped Cotton Yarn Made from Card Web (*Louis, Richard, Folk*) ... 768
Sarkar, S. Incidence of Fiber Reversal and Change in Fiber Configuration in Rotor Spinning (*Chattopadhyay*) ... 71
Saunders, Jennifer A. A Fluorescence Microscopy Study of the Diffusion of Some Nonionic Compounds into Wool from Solvent Mixtures (*Holt*) ... 415
Scheurell, D. M. Reply to "Comments on 'Dynamic Surface Wetness of Fabrics in Relation to Clothing Comfort' " (*Spivak, Hollies*) ... 463
Schoppee, Meredith M. Cumulative Geometric Changes in Woven Fabrics with Repeated Flexing (*Toney, Skelton*) 370
Schwartz, P. Effects of Strain Rate and Gauge Length on the Failure of Ultra-High Strength Polyethylene Fibers (*Netravali, Sembach*) ... 502
Sebastian, S. A. R. D. Effect of a Softening Agent on Yarn Pull-out Force of a Plain Weave Fabric (*Bailey, Briscoe, Tabor*) ... 604
Sekoguchi, Sakiko Spreading of Liquids in Textile Assemblies Part I: Capillary Spreading of Liquids (*Kawase, Fujii, Minagawa*) ... 409
Spreading of Liquids in Textile Assemblies Part II: Effects of Softening on Capillary Spreading (*Kawase, Fujii, Minagawa*) ... 617
Sembach, S. Effects of Strain Rate and Gauge Length on the Failure of Ultra-High Strength Polyethylene Fibers (*Schwartz, Netravali*) ... 502
Sen, K. False Twist Texturization of Polypropylene Multifilament Yarns Part I: Time-Temperature Effects (*Sengupta, Mukhopadhyay*) ... 281
False Twist Texturization of Polypropylene Multifilament Yarns Part II: Reducing Feeder Yarn Crystallinity Through Tension Annealing (*Sengupta, Mukhopadhyay*) ... 389
False Twist Texturization of Polypropylene Multifilament Yarns Part III: Reducing Feeder Yarn Crystallinity Through Melt Blending with Small Amounts of Polyester and Polystyrene (*Sengupta, Mukhopadhyay*) ... 425
False Twist Texturization of Polypropylene Multifilament Yarns Part IV: Structural Influences on Dye Uptake (*Sengupta, Mukhopadhyay*) ... 511
Sengupta, A. K. False Twist Texturization of Polypropylene Multifilament Yarns Part I: Time-Temperature Effects (*Sen, Mukhopadhyay*) ... 281
False Twist Texturization of Polypropylene Multifilament Yarns Part II: Reducing Feeder Yarn Crystallinity Through Tension Annealing (*Sen, Mukhopadhyay*) 389
False Twist Texturization of Polypropylene Multifilament Yarns Part III: Reducing Feeder Yarn Crystallinity Through Melt Blending with Small Amounts of Polyester and Polystyrene (*Sen, Mukhopadhyay*) ... 425
False Twist Texturization of Polypropylene Multifilament Yarns Part IV: Structural Influences on Dye Uptake (*Sen, Mukhopadhyay*) ... 511
Sharma, I. C. Feasibility of Single Jersey Fabric from Open-End Spun Blended Yarn (*Mukhopadhyay, Agarwal*) 249
Sharma, Y. N. Plastic Deformation, Crazing, and Fracture Morphology of Acrylic Fibers (*Kulshreshtha, Garg*) 484
Shinohara, A. A Technique for Direct Measurement of Roving Speed and Its Application to Winding Draft Analysis (*Nakazawa, Isshi, Matsuhashi*) ... 171
Shirai, Hirofusa Flammability Test of Poly(vinyl Alcohol) Containing Dispersed Metal-Ethylenediamine Complexes (*Kurose, Hojo*) ... 218
Shofner, Frederick M. Evolution of the Microdust and Trash Monitor for Cotton Classification (*Williams*) ... 150
Singh, O. P. Effect of Manganese (II), Cobalt (II), and Copper (I) Hydroxides on the Kinetics of the Oxidation of Cellulose by Hypochlorite (*Nevell*) ... 270
Sivakumaran, S. A Quick, Room Temperature Method for Polyester-Cellulosic Blend Analysis (*Rajendran*) ... 213
Skelton, John Cumulative Geometric Changes in Woven Fabrics with Repeated Flexing (*Toney, Schoppee*) ... 370
Smith, Jana P. Heat Transfer Characteristics of Nonwoven Insulating Materials (*Obendorf*) ... 691
Snaith, J. W. A Mechanical Model for the Lateral Compression of Woven Fabrics (*de Jong, Michie*) ... 759
Spivak, S. M. Reply to "Comments on 'Dynamic Surface Wetness of Fabrics in Relation to Clothing Comfort' " (*Scheurell, Hollies*) ... 463
Instrumental Techniques to Quantify Textural Change in Carpet Part I: Image Analysis (*Jose, Hollies*) ... 591
Sreenivasan, S. Further Evidence for the Presence of Cellulose I and II in the Same Cross Section of Partially Mercerized Cotton Fibers (*Aravindanath, Bhama Iyer*) 211
Recrystallization of Cellulose (*Bhama Iyer, Chidambareswaran, Patil*) ... 509
Milling of Partially Mercerized Cellulose (*Bhama Iyer, Chidambareswaran, Patil*) ... 647
Stevens, J. C. Skin Friction and Fabric Sensations in Neutral and Warm Environments (*Gwosdow, Berglund, Stolwijk*) ... 574
Stolwijk, J. A. J. Skin Friction and Fabric Sensations in Neutral and Warm Environments (*Gwosdow, Stevens, Berglund*) ... 574
Stuckey, W. C. Plain-Weave Fabrics Made from Twistless and Low-Twist Staple Yarns (*Lord*) ... 533
Sturgeon, P. Z. Water Vapor Transmission Rates Through Textile Materials as Measured by Differential Scanning Calorimetry (*Day*) ... 157
Suzawa, Toshiro Effect of Sodium Dodecyl Sulfate on Deposition of Polymer Latices onto Polyester and Cotton Fibers (*Kawasaki, Tamai*) ... 598
Sveda, Thomas G. Jr. Foam/Fabric Interaction Under Shear (*Miller, Rebenfeld*) ... 674

Tabor, D. Effect of a Softening Agent on Yarn Pull-out Force of a Plain Weave Fabric (*Sebastian, Bailey, Briscoe*) 604
Takizawa, Akira Dyestuff Diffusion in Oriented Polypeptide Membranes (*Mizutani, Kinoshita, Tsujita*) ... 347
Tamai, Hisashi Effect of Sodium Dodecyl Sulfate on Deposition of Polymer Latices onto Polyester and Cotton Fibers (*Kawasaki, Suzawa*) ... 598
Taylor, Robert A. Cotton Tenacity Measurements with High Speed Instruments ... 92
Estimating the Quantity of Usable Fibers in Baled Cotton 705
Tester, D. H. Set in Bending of Australian Cashmere and Superfine Merino (*Foley*) ... 546
Thibodeaux, Devron P. Cotton Fiber Maturity by Image Analysis (*Evans*) ... 130
Toney, Mary Cumulative Geometric Changes in Woven Fabrics with Repeated Flexing (*Schoppee, Skelton*) ... 370
Tsujita, Yoshiharu Dyestuff Diffusion in Oriented Polypeptide Membranes (*Mizutani, Takizawa, Kinoshita*) ... 347
Turner, Raymond C. Electron Spin Resonance Used to Measure Polymer Stability ... 712
Tyomkin, Ilya An Extended Range Liquid Extrusion Method for Determining Pore Size Distributions (*Miller*) ... 35

Vail, Sidney L. Comments on "A New and Effective Method for Removing DMDHEU Crosslinks from Cotton" 400
van Beest, C. A. A Simple Apparatus to Measure Water Vapor Resistance of Textiles (*Wittgen*) ... 566
Varma, D. S. Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Mechanical and Physical Properties (*Agarwal, Varma*) ... 364
Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Sorption and Dyeability (*Agarwal, Varma*) ... 438

Varma, I. K. Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Mechanical and Physical Properties (*Varma, Agarwal*) 364
Poly(ethylene Terephthalate)/Poly(alkylene Terephthalate) Copolyester Fibers: Sorption and Dyeability (*Varma, Agarwal*) 438
Venkatraj, R. A Low Temperature Scouring/Bleaching Process for Cotton Using Sodium Chlorite (*Gulrajani*) .. 476

Warner, J. J. Selective Scouring of Dirt from Greasy Wool Part I: A Strategy to Improve Dirt Recovery from Scour Liquor Effluent (*Bateup*) 489
Waterkeyn, L. Never Dried Cotton Fibers Have a Circular Cross Section (*Peeters, Wijsmans, De Langhe, De Langhe*) 529
Waters, P. J. Photoprotection of Wool with a Sulfonated 2-(2'-Hydroxyaryl)-2H-Benzotriazole UV Absorber (*Evans, Wilshire*) 203
Watt, I. C. Factors Affecting the Zeta Potential at Wool Fiber Surfaces (*Capablanca*) 49
Weigmann, H.-D. Determination of Free Formaldehyde in Durable Press Fabrics: Comparison of Cold Sulfite Method with Headspace Gas Chromatography (*Kamath, Hornby*) 55
Potentiometric Titration of Amidomethylol ($N-CH_2OH$) Groups in Durable Press Fabrics (*Kamath, Hornby, Briant*) 59
Effects of Fiber Structural Modification on the Dyeing Behavior and Mechanical Properties of Polyamide Yarns (*Moore*) 180
Dyeability of Nomex® Aramid Yarn (*Moore*) 254
Weiss, Louis C. ElectroSweep—Electrodynamic Transportation of Cotton Trash 393
Wemyss, A. M. Hydrothermal Setting of Wool-Polyester Blend Fabrics (*De Boos, Harrigan*) 261
Wijsmans, J. Never Dried Cotton Fibers Have a Circular Cross Section (*Peeters, De Langhe, De Langhe, Waterkeyn*) 529
Never Dried Cotton Fibers as a Meaningful Expression of Maturity (*Peeters, De Langhe, De Langhe*) 621
Wilcock, Anne Effects of Sodium Hydroxide and Liquid Ammonia Treatments on the Coverage of Neps in Dyed Cotton Fabric (*Cheek, Hsu*) 569
Willard, Alan Investigating Wool Fiber Damage by Image Analysis (*Zhao, Johnson*) 464
Williams, Gordon F. Evolution of the Microdust and Trash Monitor for Cotton Classification (*Shofner*) 150
Wilshire, J. F. K. Photoprotection of Wool with a Sulfonated 2-(2'-Hydroxyaryl)-2H-Benzotriazole UV Absorber (*Evans, Waters*) 203
Wittgen, P. P. M. M. A Simple Apparatus to Measure Water Vapor Resistance of Textiles (*van Beest*) 566
Wortmann, F.-J. Quantitative Fiber Mixture Analysis by Scanning Electron Microscopy Part I: Blends of Mohair and Cashmere with Sheep's Wool (*Arns*) 442
Wray, G. R. Instability Tests for Air-Jet Textured Yarns (*Demir, Acar*) 191

Yabe, Akihiko Effect of Zeolite on the Dispersion Stability of Iron Oxide Particles (*Kimura, Komaki*) 309
Detachment of Solid Particulate Soils in a Laminar Flow—Influence of Particle Diameter on the Detachment of Spherical Glass Particles (*Iwasaki, Hikage*) 556
Yabuki, Kazuyuki Microstructure of Poly(ethylene Terephthalate) Tire Yarn and Its Relation to Heat Generation in Rubber (*Iwasaki, Aoki*) 41
Yatsu, L. Y. Conversion of Cellulose I to Stable Cellulose III (*Calamari, Benerito*) 419
Yokura, Hiroko Prediction of Fabric Bagging from Mechanical Properties (*Nagae, Niwa*) 748
Young, Michael D. Twist Distribution Along Sirospun Yarn (*Johnson*) 649

Zahn, H. Morphological Origin of the S-Carboxymethyl Keratеines of Wool (*Greven, Kaplin*) 523
Zhao, Wu Investigating Wool Fiber Damage by Image Analysis (*Johnson, Willard*) 464
A Study of Wool Carbonizing Part I: Causes and Prevention of Localized Acid Damage in Carbonized Wool (*Johnson*) 741
Zollinger, Heinrich Porosity Versus Segment Mobility in Dye Diffusion Kinetics—A Differential Treatment: Dyeing of Acrylic Fibers (*Rohner*) 1
Crosslinking Effects in Reactive Dyeing of Protein Fibers (*Ball, Meyer*) 447
Żurek, Witold Physical Properties of Weft Knitted Fabrics (*Cislo, Bialek, Dziewiecka*) 241

SUBJECT INDEX

Acrylics
- **acrylic staple spun yarns:** influence of yarn extractive nozzle on apparent loss of twist in rotor open-end spun yarns *Manich, de Castellar, Barella* ... 207
- **crosslinked acrylic acid based thickners:** preparation and performance in reactive printing of cotton *Bajaj, Chavan, Bhatia* ... 63
- **dye diffusion kinetics of acrylic fibers:** porosity versus segment mobility: a differential treatment *Rohner, Zollinger* ... 1
- **effects of acrylic fiber properties on rotor spinning:** predicting processing behavior *Özipek* ... 354
- **morphology and tensile properties of:** plastic deformation, crazing, fracturing *Kulshreshtha, Garg, Sharma* ... 484
- **single jersey weft knitted fabrics:** feasibility of from open-end spun blended acrylic-viscose yarns *Sharma, Mukhopadhyay, Agarwal* ... 249

Abradability
- **improved in cotton cellulose:** conversion of cellulose I to stable III using ammonia *Yatsu, Calamari, Benerito* 419

Adhesion
- **foam/fabric adhesion:** quantifying by measuring shear stress *Sveda, Miller, Rebenfeld* ... 674
- **reducing with softening agents:** effect on yarn pull-out force of a plain weave fabric *Sebastian, Bailey, Briscoe, Tabor* ... 604

Adsorption
- **by wook keratin fibers:** interaction with copper(II) ions *Fukatsu, Isa* ... 774

Ageing
- **of wool fibers:** factors affecting the zeta potential at wool fiber surfaces: shrinkproofing process *Capablanca, Watt* ... 49

Apparel
- **flammability of:** accident simulations and bench-scale tests: identification of low and high burn injury hazard fabrics *Krasny* ... 287

Aramids
- **dyeability of Nomex® yarn:** treatments in highly polar solvents improve dyeability without a carrier *Moore, Weigmann* ... 254

Bending
- **analysis of drape:** use of dimensionless groups: drape values plotted *Hearle, Amirbayat* ... 727
- **flexural rigidity of fabrics:** flaw in the Shirley stiffness tester *Rudra* ... 712
- **frictional effects in bending glass fabric:** cyclic bending experiments to determine fabric rigidity *Ly* ... 22
- **of cashmere and superfine Merino wool:** set in bending: comparison of fibers *Tester, Foley* ... 546
- **of woven fabrics:** cumulative geometric changes with repeated flexing: multifilament fabrics, glass, steel, nylon, Kevlar *Toney, Schoppee, Skelton* ... 370

Birefringence
- **of PPT fibers:** optical properties and geometrical parameters of PRD 49 and Kevlar 49 *Hamza, Er-Farahaty* 580

Bleaching
- **kinetics of oxidation of cellulose by hypochlorite bleach:** effect of manganese (II), colbalt (II), and copper (I) hydroxides *Nevell, Singh* ... 270
- **of cotton fabric:** low temperature scouring/bleaching process using sodium chlorite *Gulrajani, Venkatraj* ... 476

Blends
- **quantitative analysis of:** wool with silk and mohair: SEM study of height of cuticle scale *Wortmann, Arns* ... 442

Burn Injury
- **apparent flammability:** accident simulations and bench-scale tests: identification of low and high burn injury hazard fabrics *Krasny* ... 287

Byssinosis
- **a microdust and trash monitor for cotton classification:** high speed, accurate standard *Shofner, Williams* ... 150
- **dust and trash content of cotton:** determined by cotton particulates analyzer: development of equations relating dust and trash fractions *DeLuca* ... 734
- **electrodynamic transportation of cotton trash:** Electro-Sweep: conservation of money and energy *Weiss* 393
- **eliminating agents by washing, bleaching, and scouring:** chemical analysis of cotton lint *Domelsmith, Berni, Cocke* ... 14
- **from nitrogen-fixing bacteria:** occurrence on bracts, locules, and in cotton dust *Balasubramanya, Paralikar* ... 521

Capillarity
- **spreading of liquids in textile assemblies:** capillary spreading in cotton, rayon, nylon, and PET *Kawase, Sekoguchi, Fujii, Minagawa* ... 409
- **spreading of liquids in textile assemblies:** effects of softening on capillary spreading *Kawase, Sekoguchi, Fujii, Minagawa* ... 617

Carbon Fibers
- **nonwoven fabrics:** determining binder and fiber composition: polyester binder *Nelson, Kumar, Marconi* .. 516

Carbonization
- **of wool:** a new approach to conserve energy and lessen damage to fibers *Kirkpatrick* ... 67
- **of wool:** causes and prevention of localized acid damage in: role of surfactants *Zhao, Johnson* ... 741

Carding
- **influence on yarn tenacity response:** increasing rotor speed *Barella* ... 336
- **weight loss in:** estimating quantity of usable fibers in baled cotton: evaluation of various methods *Taylor* ... 705

Carpets
- **textural changes in:** instrumental techniques to quantify: image analysis of carpet pile *Jose, Hollies, Spivak* 591

Cashmere
- **and superfine Merino wool:** set in bending: comparison of fibers *Tester, Foley* ... 546
- **blended with wool:** quantitative fiber mixture analysis using SEM: also mohair *Wortmann, Arns* ... 442

Cellulose
- **content of never dried cotton fibers:** packing density of secondary wall *Peeters, De Langhe* ... 755
- **conversion from I to stable III:** use of ammonia: improved resistance to abrasion *Yatsu, Calamari, Benerito* ... 419
- **interaction with water:** a practical process for cutting cotton fibers in the wet state: smaller loss of degree of polymerization *Hon* ... 333
- **kinetics of oxidation by hypochlorite:** effect of manganese (II), cobalt (II), and copper (I) hydroxides *Nevell, Singh* 270
- **I and II:** further evidence for presence of both in cross sections of cotton fibers *Aravindanath, Bhama Iyer, Sreenivasan* ... 211
- **partially mercerized:** milling decreases CII *Sreenivasan, Bhama Iyer, Chidambareswaran, Patil* ... 647
- **recrystallization of:** cellulose I into II *Bhama Iyer, Sreenivasan, Chidambareswaran, Patil* ... 509

Chromatography
headspace gas chromatography: determination of free formaldehyde in DP fabric: comparison with cold sulfite method *Kamath, Hornby, Weigmann* 55
Clothing
comfort in neutral and warm environments: skin friction and fabric sensations *Gwosdow, Stevens, Berglund, Stolwijk* 574
heat and water vapor diffusion through: numerical model of combined diffusion *Farnworth* 653
seam strength in: stresses in clothing as related to: maximum and minimum seam strengths *Crow, Dewar* 467
thermal insulation materials for: heat transfer characteristics of nonwoven polyesters *Obendorf, Smith* 691
Clothing, Protective
metabolic heat problems with: water vapor transmission rates through textile materials measured by DSC: firefighters' clothing *Day, Sturgeon* 157
pesticide protective clothing: thermal response associated with two prototype clothing systems *Branson, DeJonge, Munson* 27
Comfort
of fabrics in neutral and warm environments: skin friction and fabric sensations *Gwosdow, Stevens, Berglund, Stolwijk* 574
water vapor resistance of textiles: a simple apparatus to measure *van Beest, Wittgen* 566
Compression
lateral compression of woven fabrics: mechanical model for wool *de Jong, Snaith, Michie* 759
of wool bales: role of press wall friction in high-density compression *Abbott, Nason* 715
Computer Models
diffusion equation calculations: adaptation of calculator method *MacLeod* 587
for predicting fabric strength: point-bonded nonwoven polyester fabrics *Grindstaff, Hansen* 383
Copolyester Fibers
mechanical and physical properties: structure of PET modified by comonomers *Varma, Agarwal, Varma* 364
sorption and dyeability: PET with comonomers *Varma, Agarwal, Varma* 438
Cotton
cellulose: conversion of cellulose I to stable III using ammonia: improved abrasion resistance *Yatsu, Calamari, Benerito* 419
cellulose recrystallization: cellulose I into II *Bhama Iyer, Sreenivasan, Chidambareswaran, Patil* 509
nitrogen-fixing bacteria: occurrence on bracts, locules, and in dust *Balasubramanya, Paralikar* 521
Cotton Fabrics
and polyester blends: a quick room temperature method for analysis *Sivakumaran, Rajendran* 213
and polyester blends: comments on dynamic surface wetness of fabrics in relation to clothing comfort *Farnworth* 462
and polyester blends: reply to comments on dynamic surface wetness of fabrics in relation to clothing comfort *Scheurell, Spivak, Hollies* 463
and polyester blends: resin treatment at high speeds via semistable foam finishing *Bryant, Brown* 75
bleaching of: low temperature scouring/bleaching process using sodium chlorite *Gulrajani, Venkatraj* 476
blends from polyester core yarns: comparison with all-cotton and intimate blends: dyeing and DP and FR finishing *Harper, Ruppenicker, Donaldson* 80
coverage of neps in: effect of sodium hydroxide and liquid ammonia treatments on dyed fabric *Cheek, Wilcock, Hsu* 569
DMDHEU crosslink removal: effect of different catalysts on DMDHEU-cotton cellulose reaction *Abhyankar, Beck, Ladisch, Frick* 551
durable press: identifying extractible resin fragments by 13C-NMR spectroscopy: formaldehyde release *Hermanns, Meyer, Kottes Andrews* 343
durable press finish applied to wet fabrics: a low wet pickup method to conserve energy: fabric properties determined *Reeves, Day, Phillips* 101
durable press treatments: contribution of urea to textile performance of formaldehyde-treated cotton *Gonzales, Chmielewski, Rowland* 317
flammability of: test of poly(vinyl alcohol) containing dispersed metal-ethylenediamine complexes *Kurose, Shirai, Hojo* 218
foam finishing with formaldehyde: textile physical properties: statistical study *Gonzales, Reinhardt* 497
formaldehyde release from DP fabrics: potentiometric titration of amidomethylol (N-CH_2OH) groups *Kamath, Hornby, Briant, Weigmann* 59
formaldehyde release from DP finishing: assessment of steady-state free formaldehyde: simple and reliable test for *Kottes Andrews, Reinhardt* 115
free formaldehyde in: comparison of cold sulfite method with headspace gas chromatography *Kamath, Hornby, Weigmann* 55
loss of free formaldehyde from: loss in open and confined conditions: effects of crosslinking *Reinhardt, Kottes Andrews* 144
reactive printing of: crosslinked acrylic acid based thickeners: preparation and performance *Bajaj, Chavan, Bhatia* 63
removing DMDHEU crosslinks: comments on method of boiling in N_aOH *Vail* 400
removing DMDHEU crosslinks: reply to comments on method of boiling in N_aOH *Abhyankar, Beck, Ladisch, Rowland* 401
Cotton Fibers
a practical process for cutting: smaller loss of degree of polymerization when cut in the wet state *Hon* 333
chemical analyses of washed, bleached, and scoured fibers: removal of possible byssinotic agents *Domelsmith, Berni, Cocke* 14
crosslinks distribution in: effect using formaldehyde-free crosslinking agents: less uniform distribution *Frick* 124
cross-sectional shape during growth: distribution of area, perimeter, circularity, and secondary wall thickness *Petkar, Mhadgut, Oka* 642
deposition of polymer latices on: effect of sodium dodecyl sulfate: also polyester *Kawasaki, Tamai, Suzawa* 598
length measurement of: preliminary investigation with Peyer Texlab system: comparability and repeatability *Bargeron* 121
market value of fiber properties: effect on price of cotton in southeastern textile mills *Hembree, Ethridge, Neeper* 140
measuring maturity by image analysis: frame-smashing approach: preliminary investigation *Thibodeaux, Evans* 130
never dried: circular cross section *Peeters, Wijsmans, De Langhe, De Langhe, Waterkeyn* 529
never dried: a meaningful expression of maturity: swollen with water and sodium hydroxide *Peeters, De Langhe, Wijsmans, De Langhe* 621
never dried: profile and volume: very irregular profile *Peeters, De Langhe, De Langhe* 665
never dried: cellulose packing density of secondary wall *Peeters, De Langhe* 755
presence of cellulose I and II in cross sections: further evidence for in electron micrographs *Aravindanath, Bhama Iyer, Sreenivasan* 211

short fiber content: effects on manufacturing and yarn quality: large scale plant trial *Backe* 112
sized with durable polymeric sizing agents: evaluation of *Moreau* 627
tenacity measurements with high speed instruments: comparison with conventional methods *Taylor* 92
usable fibers in baled cotton: estimating the quantity: evaluation of various methods *Taylor* 705

Cotton, Raw
dust and trash contents of: determined by cotton particulates analyzer: development of equations relating dust and trash fractions *DeLuca* 734
electrodynamic transportation of cotton trash: Electro-Sweep: conservation of money and energy *Weiss* 393
nepping potential: nep counts in one gram of raw cotton used to predict neppiness in yarns and fabrics *Hebert, Mangialardi, Ramey* 108
trash and microdust in: evolution of the microdust and trash monitor for cotton classification *Shofner, Williams* 150

Cotton Yarns
and polyester rotor spun: apparent loss of twist *Barella, Manich, de Castellar* 646
filament-wrapped: from card web: made on converted ring frames *Salaun, Louis, Richard, Folk* 768
foam sizing of cotton and blend yarns: slashing trials: energy conservation and reduced wet pickup *Namboodri* 87
nep formation in: comparison of four determination methods providing similar results *Harrison, Bargeron* .. 77
polyvinyl alcohol filament-wrapped: "X" direction: superior strength and elongation *Louis, Salaun* 161
twist factor of: effect on knittability *Cooke, Kamal* ... 679

Creep
role in fabric bagging: prediction of bagging from mechanical properties: role of dynamic creep *Yokura, Nagae, Niwa* 748

Crimp
of filling yarns on a projectile weaving machine: measuring filling yarn tension and its influence on woven fabrics *Chahal, Mohamed* 324
of wool: a model for predicting set in helices: winding ratios of various wool types explained *de Jong, Michie* 219

Crosslinking
and formaldehyde release: identifying extractible resin fragments in DP cotton by 13C-NMR spectroscopy *Hermanns, Meyer, Kottes Andrews* 343
distribution in cotton fibers: use of formaldehyde-free crosslinking agents gives less uniform distribution *Frick* 124
DMDHEU crosslink removal: effect of different catalysts on DMDHEU-cotton cellulose reaction *Abhyankar, Beck, Ladisch, Frick* 551
in durable press cotton fabrics: contribution of urea to the textile performance of formaldehyde-treated cotton *Gonzales, Chmielewski, Rowland* 317
in reactive dyeing of silk and wool: high fixation ratio *Ball, Meyer, Zollinger* 447
of cotton with free formaldehyde: loss of free formaldehyde in open and confined conditions: effects of loss on crosslinking *Reinhardt, Kottes Andrews* 144
removing DMDHEU crosslinks from cotton: comments on method of boiling in N_aOH *Vail* 400
removing DMDHEU crosslinks from cotton: reply to comments on method of boiling in N_aOH *Abhyankar, Beck, Ladisch, Rowland* 401

Deformation
and recovery of fabrics treated with softening agents: effect on yarn pull-out force of a plain-weave fabric *Sebastian, Bailey, Briscoe, Tabor* 604
fabric bagging: prediction from mechanical properties *Yokura, Nagae, Niwa* 748

Density
of nylon 6: density correction of fiber orientation *Jeziorny* 405

Detergency
detaching solid particulate soils in a laminar flow: influence of particle diameter on detachment of spherical glass particles *Iwasaki, Hikage, Yabe* 556

Detergents
effect of zeolite in detergents: dispersion stability of iron oxide particles: better environmentally *Kimura, Komaki, Yabe* 309

Differential Scanning Calorimetry
to measure water vapor transmission rates: metabolic heat problems with firefighters' clothing *Day, Sturgeon* 157

Diffusion
boundary layer diffusion equation: tables of numerical solutions for *Etters, Hurwitz* 214
dye diffusion kinetics: porosity versus segment mobility: a differential treatment in dyeing of acrylic fibers *Rohner, Zollinger* 1
equations: adaptation of a calculator method for computer calculations *MacLeod* 587
of dyestuff: oriented polypeptide membranes *Mizutani, Takizawa, Kinoshita, Tsujita* 347
of heat and water vapor through clothing: numerical model of combined diffusion *Farnworth* 653
of nonionic compounds into wool: fluorescense microscopy study: diffusion from solvent mixtures *Holt, Saunders* 415

Distribution
of cross-sectional area of cotton fibers during growth: perimeter, circularity, and secondary wall thickness *Petkar, Mhadgut, Oka* 642

Drape
analysis of: use of dimensionless groups: drape values plotted *Hearle, Amirbayat* 722

Durable Press
contribution of urea: textile performance of formaldehyde-treated cotton fabrics *Gonzales, Chmielewski, Rowland* 317
cotton blends with polyester core yarns: comparison with all-cotton and intimate blends: dyeing and FR finishing *Harper, Ruppenicker, Donaldson* 80
DMDHEU crosslink removal: effect of different catalysts on DMDHEU cotton cellulose reaction *Abhyankar, Beck, Ladisch, Frick* 551
extractible resin fragments in DP cotton: identifying by 13C-NMR spectroscopy: formaldehyde release *Hermanns, Meyer, Kottes Andrews* 343
formaldehyde release from cotton: assessment of steady-state free formaldehyde: simple and reliable test *Kottes Andrews, Reinhardt* 115
formaldehyde release from fabrics: potentiometric titration of amidomethylol (N-CH_2OH) groups *Kamath, Hornby, Briant, Weigmann* 59
free formaldehyde in fabric: comparison of cold sulfite method with headspace gas chromatography *Kamath, Hornby, Weigmann* 55
low wet pickup method: applied to wet fabrics: energy conservation: fabric properties determined *Reeves, Day, Phillips* 101
with formaldehyde-free agents: effect of crosslink distribution in cotton fibers: less uniform distribution *Frick* 124

Dyeability
and sorption of copolyester fibers: PET with comonomers *Varma, Agarwal, Varma* 438

of Nomex® aramid yarn: treatments of highly polar solvents improve dyeability without a carrier *Moore, Weigmann* 254
Dyeing
behavior of polyamide yarns: effects of fiber structural modification on mechanical properties of nylon 6 and 66 yarns: enhanced dye transport *Moore, Weigmann* 180
bilateral staining of wool: mechanism of staining cortex with basic dyes *Sakabe, Ito, Miyamoto, Inagaki* .. 635
dye diffusion kinetics: porosity versus segment mobility: a differential treatment for acrylic fibers *Rohner, Zollinger* 1
dyestuff diffusion: oriented polypeptide membranes *Mizutani, Takizawa, Kinoshita, Tsujita* 347
of cotton blends with polyester core yarns: comparison with all-cotton and intimate blends: DP and FR finishing *Harper, Ruppenicker, Donaldson* 80
of PAN fiber with anthraquinone cation dyes: effect of electrolytes *De Giorgi, Alberti, Cerniani* 379
of wool and silk with reactive dyes: crosslinking effects *Ball, Meyer, Zollinger* 447
wool-polyester blends stabilized to piece dyeing: hydrothermal setting: influence on mechanical properties and hand *De Boos, Harrigan, Wemyss* 261
Dyes
fading on wool: photoprotection of wool with a sulfonated 2-(2'-hydroxyaryl)-2H-benzotriazole UV absorber: dyed wool protected *Evans, Waters, Wilshire* 203
reactive printing of cotton fabric: crosslinked acrylic acid based thickeners: preparation and performance *Bajaj, Chavan, Bhatia* 63
water soluble anionic dyes: application to solvent-treated polyester: permeability of voids in polyester to the dyes *Kirby, Cates* 304

Electron Spin Resonance (ESR)
used to measure polymer stability: formation of free radicals in the melt *Turner* 712
Electrophoresis
two-dimensional gel electrophoresis: examinations of proteins from wool cuticle *Marshall, Ley* 772
Energy
conservation in DP finishing: finish applied to wet cotton twill: fabric properties determined *Reeves, Day, Phillips* 101
conservation in wool carbonization: a new approach to lessen damage to fibers *Kirkpatrick* 67
conservation through foam finishing: foam/fabric interaction under shear *Sveda, Miller, Rebenfeld* 674
Environmental Impact
of detergents with zeolite: effect on dispersion stability of iron oxide particles: better environmentally *Kimura, Komaki, Yabe* 309
of dyeing Nomex® aramid yarn: treatments of highly polar solvents improve dyeability without a carrier *Moore, Weigmann* 254
of wool scouring liquor effluent: a strategy to improve dirt recovery from *Bateup, Warner* 489

Fabric Geometry
cumulative changes with flexing: woven multifilament fabrics: glass, steel, nylon, Kevlar *Toney, Schoppee, Skelton* 370
Fabric Properties
as predictors of fabric bagging: role of dynamic creep *Yokura, Nagae, Niwa* 748
drape of sheeting materials: analysis by dimensionless groups *Hearle, Amirbayat* 727
lateral compression of woven wool: mechanical model for *de Jong, Snaith, Michie* 759
Fabric Structure
effect on resistance to needle piercing: sewing with and without thread *Galuszynski* 339
Fabric Testing
frictional effects in glass fabric: cyclic bending experiment to determine fabric rigidity *Ly* 22
Fiber Fineness
of raw wool: a fiber snippet preparer for fineness analysis *Buckenham* 341
Fiber Geometry
cross-sectional shape of cotton fibers during growth: distribution of area, perimeter, circularity, and secondary wall thickness *Petkar, Mhadgut, Oka* 642
of never dried cotton fibers: circular cross section *Peeters, Wijsmans, De Langhe, De Langhe, Waterkeyn* 529
of never dried cotton fibers: a meaningful expression of maturity: swollen with water and sodium hydroxide *Peeters, De Langhe, Wijsmans, De Langhe* 621
of never dried cotton fibers: profile and volume: very irregular profile *Peeters, De Langhe, De Langhe* 665
of PPT fibers: optical properties and geometrical parameters of PRD 49 and Kevlar 49 *Hamza, El-Farahaty* 580
Fiber Processing
winding speed of roving: technique for direct measurement and application to winding draft analysis *Nakazawa, Isshi, Shinohara, Matsuhashi* 171
Fiber Properties
cotton fiber maturity: measuring by image analysis: frame-smashing approach *Thibodeaux, Evans* 130
effect on price of cotton: market value in southeastern textile mills *Hembree, Ethridge, Neeper* 140
length measurement of cotton: preliminary investigation with Peyer Texlab system: comparability and repeatability *Bargeron* 121
of rotor spun acrylics: predicting processing behavior *Özipek* 354
short fiber content of cotton: effects on manufacturing and yarn quality: large scale plant trial *Backe* 112
Fiber Structure
of wool epicuticle: x-ray photoelectron study of fiber surface *Carr, Leaver, Hughes* 457
Fiber Testing
cotton tenacity measurements: high speed instruments: comparison of high volume instruments with conventional methods *Taylor* 92
Fibrous Materials
pore size distributions in: an extended range liquid extrusion method for determining *Miller, Tyomkin* 35
Filaments
filament-wrapped cotton yarns: from card web: made on converted ring frames *Salaun, Louis, Richard, Folk* 768
"X" direction filament-wrapped yarn: cotton core and polyvinyl alcohol filament: superior strength and elongation *Louis, Salaun* 161
Finishing
DP process to conserve energy: applied to wet cotton twill using a low wet pickup method *Reeves, Day, Phillips* 101
Flameproofing
bromination of silk and wool: N-bromosuccinimide and triphenylphosphine: gas chromatography and mass spectrometry *Sakamoto, Masuko, Nakanishi* 429
fireproofing jute: low temperature carbonization *Banerjee, Day, Ray* 338
Flame Resistance
of polybenzimidazole (PBI): enhancing by blending with other fibers *Mehta* 527

Flame Retardancy
of cotton blends with polyester core yarns: comparison with all-cotton and intimate blends: dyeing and DP finishing *Harper, Ruppenicker, Donaldson* 80
Flammability
of apparel: accident simulations and bench scale tests: identification of low and high burn injury hazard fabrics *Krasny* 287
of cotton fabrics: test of poly(vinyl alcohol) containing dispersed metalethylenediamine complexes *Kurose, Shirai, Hojo* 218
Flexing
rigidity of fabrics: flaw in Shirley stiffness tester *Rudra* 712
Fluid Flow
pore size distributions in fibrous materials: an extended range liquid extrusion method for determining *Miller, Tyomkin* 35
Fluorescence
nonionic pyrazolines on wool: microscopy study of diffusion into wool from solvent mixtures *Holt, Saunders* .. 415
chemical analyses of cotton lint: x-ray fluorescence of washed, bleached, and scoured fibers to determine presence of byssinotic agents *Domelsmith, Berni, Cocke* 14
Foams
finishing of cotton with formaldehyde: textile physical properties: statistical study *Gonzales, Reinhardt* 497
foam/fabric adhesion: interaction of foam and fabric under shear *Sveda, Miller, Rebenfeld* 674
foam sizing of cotton and blend yarns: slashing trials: energy conservation and reduced wet pickup *Namboodri* 87
semistable foam finishing: resin treatment of polyester-cotton fabric at high speeds *Bryant, Brown* 75
Formaldehyde
crosslinking without: effect of crosslink distribution in cotton fibers using formaldehyde-free agents: less uniform distribution *Frick* 124
determination in DP fabric: comparison of cold sulfite method with headspace gas chromatography *Kamath, Hornby, Weigmann* 55
foam finishing of cotton: textile physical properties: statistical study *Gonzales, Reinhardt* 497
release from DP cotton: identifying extractible resin fragments by 13C-NMR spectroscopy *Hermanns, Meyer, Kottes Andrews* 343
in DP cotton fabrics: assessment of steady-state free formaldehyde: simple and reliable test *Kottes Andrews, Reinhardt* 115
loss of free formaldehyde from cotton: loss in open and confined conditions: effects on crosslinking *Reinhardt, Kottes Andrews* 144
release from DP fabrics: potentiometric titration of amidomethylol (N-CH_2OH) groups *Kamath, Hornby, Briant, Weigmann* 59
treatment of DP cotton fabrics: contribution of urea to textile performance *Gonzales, Chmielewski, Rowland* 317
Friction
effects of in bending glass fabrics: cyclic bending experiments to determine fabric rigidity *Ly* 22
in high-density compression of wool bales: role of press wall friction *Abbot, Nason* 715
of fabric on skin: neutral and warm environments: clothing comfort *Gwosdow, Stevens, Berglund, Stolwijk* 574

Glass Fabrics
frictional effects in: cyclic bending experiments to determine fabric rigidity *Ly* 22

Hand
improved by softening agents: effect on yarn pull-out force of a plain weave fabric *Sebastian, Bailey, Briscoe, Tabor* 604
of polyester, wool, and blends of both: hand assessed by Japanese and American methods *Behery* 227
Heat Phenomena
heat generation in rubber tires: microstructure of PET tire yarns and relation to heat generation *Yabuki, Iwasaki, Aoki* 41
Heat Transfer
heat and water vapor diffusion through clothing: numerical model of combined diffusion *Farnworth* 653
heat dissipation of pesticide protective clothing: thermal response associated with two prototype clothing systems *Branson, DeJonge, Munson* 27
in protective clothing: water vapor transmission through firefighters' clothing as measured by DSC *Day, Sturgeon* 157
nonwoven thermal insulating clothing: heat transfer characteristics of nonwoven polyesters *Obendorf, Smith* 691

Jute
fireproofing of: low temperature carbonization *Banerjee, Day, Ray* 338
surface characteristics: SEM study of different stages of growth *Mukherjee, Mukhopadhyay, Mukhopadhyay* 562

Keratin Fibers
bilateral staining of wool cortex: mechanism of with basic dyes *Sakabe, Ito, Miyamoto, Inagaki* 635
glycolipids from wool: isolation and partial characterization of *Nogués, Coderch, Erra* 588
wool: interaction with copper(II) ions: adsorption mechanism *Fukatsu, Isa* 774
Kinetics
of dye diffusion: porosity versus segment mobility: a differential treatment in the dyeing of acrylic fibers *Rohner, Zollinger* 1
of spreading liquids in textile assemblies: capillary spreading in cotton, rayon, nylon, and PET *Kawase, Sekoguchi, Fujii, Minagawa* 409
of spreading liquids in textile assemblies: effects of softening on capillary spreading *Kawase, Sekoguchi, Fujii, Minagawa* 617
Knitted Fabrics
from combed cotton yarn: effect of twist factor on knitability *Cooke, Kamal* 679
of shrinkproofed wool: sulphite treatments in aqueous organic solvent media: effect on internal lipids *Erra, Coderch, Juliá, Infante, García Dominguez* 611
single jersey weft knits: feasibility of from open-end spun blended acrylic-viscose yarns *Sharma, Mukhopadhyay, Agarwal* 249
weft knits: physical properties of polyester and polyamide yarns and their effects on tensile properties of the knits *Żurek, Cislo, Bialek, Dziewiecka* 241
weft knitting notation: an alternative method: double jersey fabrics *Cooke, Kamal* 519

Light Phenomena
light transmission properties of wool: investigating damage by image analysis *Zhao, Johnson, Willard* 464
Linear Density
of yarn faults: fiber diameter and length in thin places *Lamb* 526

Liquid Flow
pore size distributions in fibrous materials: an extended range liquid extrusion method for determining *Miller, Tyomkin* 35
Looms
air-jet design: mechanics of a single nozzle air-jet filling insertion system: nozzle design and performance *Mohamed, Salama* 683
air-jet design: mechanics of a single nozzle air-jet filling insertion system: velocity distribution and design of air guide system *Salama, Mohamed* 721
Manmade Fibers
air-jet textured yarns: introduction to process and discussion of advantages: instability tests and yarn quality *Demir, Acar, Wray* 191

Mathematics
diffusion equation calculations: adaptation of calculator method for computers *MacLeod* 587
Mechanical Properties
as predictors of fabric bagging: role of dynamic creep *Yokura, Nagae, Niwa* 748
of copolyester fibers: structure of PET modified by comonomers *Varma, Agarwal, Varma* 364
of hydrothermally set wool-polyester blends: stabilized to piece dyeing: influence on hand *De Boos, Harrigan, Wemyss* 261
of polyamide yarns: effects of fiber structural modification on dyeing behavior and mechanical properties of nylon 6 and 66 *Moore, Weigmann* 180
of wool: a model for predicting set in helices: winding ratios of various wool types explained *de Jong, Michie* 219
Mercerization
of cellulose: milling decreases CII *Sreenivasan, Bhama Iyer, Chidambareswaran, Patil* 647
Models
for lateral compression of wool fabrics: mechanical model *de Jong, Snaith, Michie* 759
Mohair
blended with wool: quantitative fiber mixture analysis using SEM: also cashmere *Wortmann, Arns* 442
Moisture Transfer
water vapor resistance of textiles: a simple apparatus to measure *van Beest, Wittgen* 566
Morphology
and composition of wool fibers: electron microscopy and x-ray microanalysis study *Carr, Holt, Drennan* 669
and tensil properties of acrylic fibers: plastic deformation, crazing, fracturing *Kulshreshtha, Garg, Sharma* ... 484
of wool: origin of S-carboxymethyl keratеines: SEM study *Greven, Kaplin, Zahn* 523

Napping
as a result of repeated flexing: cumulative geometric changes in woven fabrics: Kevlar, glass, steel, nylon *Toney, Schoppee, Skelton* 370
Neps
coverage in dyed cotton fabric: effects of sodium hydroxide and liquid ammonia treatments on *Cheek, Wilcock, Hsu* 569
determination methods: comparison of four methods providing similar results *Harrison, Bargeron* 77
nepping potential: nep counts in one gram of raw cotton used to predict neppiness in yarns and fabrics *Hebert, Mangialardi, Ramey* 108
Nonwovens
carbon fiber fabrics: determining binder and fiber composition: polyester binder *Nelson, Kumar, Marconi* 516
effect of gamma radiation sterilization: products for medical end uses *Gorrafa* 337
point-bonded polyesters: computer model for predicting fabric strength *Grindstaff, Hansen* 383
thermal insulating clothing materials: heat transfer characteristics of polyesters *Obendorf, Smith* 691
Nylon
dyeing behavior and mechanical properties: effects of fiber structural modification on polyamide yarns: nylon 6 and 66 *Moore, Weigmann* 180
fiber orientation of nylon 6: density correction of *Jeziorny* 405

Optical Properties
of PPT fibers: geometrical parameters of PRD 49 and Kevlar 49 *Hamza, El-Farahaty* 580
Orientation
of nylon 6 fibers: density correction of *Jeziorny* 405
of polypeptide membranes: dyestuff diffusion in oriented membranes *Mizutani, Takizawa, Kinoshita, Tsujita* 347
Oxidation
kinetics of oxidation of cellulose by hypochlorite: effect of manganese (II), colbalt (II), and copper (I) hydroxides *Nevell, Singh* 270

Permeability
of solvent-treated polyester: application of water soluble anionic dyes: permeability of voids in polyester to the dyes *Kirby, Cates* 304
Photodegradation
of wool: photoprotection with a sulfonated 2-(2'-hydroxyarl)-2H-benzotriazole UV absorber: dyed wool also protected *Evans, Waters, Wilshire* 203
Polyacrylonitrile
dyeing with anthraquinone cation dyes: effect of electrolytes *De Giorgi, Alberti, Cerniani* 379
Polyamides
and polyester weft knitted fabrics: physical properties of yarns and their effects on the knits *Żurek, Cislo, Bialek, Dziewiecka* 241
dyeability of Nomex® aramid yarn: treatments in highly polar solvents improve dyeability without a carrier *Moore, Weigmann* 254
Polybenzimidazole (PBI)
flame resistance of: enhancing by blending with other fibers *Mehta* 527
Polyester
and carbon fiber nonwoven fabrics: determining binder and fiber composition: polyester binder *Nelson, Kumar, Marconi* 516
and cotton blends: a quick room temperature method for analysis *Sivakumaran, Rajendran* 213
and cotton blend fabrics: comments on dynamic surface wetness of fabrics in relation to clothing comfort *Farnworth* 462
and cotton blends: reply to comments on dynamic surface wetness of fabrics in relation to clothing comfort *Scheurell, Spivak, Hollies* 463
and cotton blend fabrics: resin treatment at high speeds via semistable foam finishing *Bryant, Brown* 75
and cotton blend yarns: foam sizing of: slashing trials: energy conservation and reduced wet pickup *Namboodri* 87
and cotton rotor spun yarns: apparent loss of twist *Barella, Manich, de Castellar* 646
and polyamide weft knitted fabrics: physical properties of

yarns and their effects on tensile properties of the knits *Zurek, Cislo, Bialek, Dziewiecka* 241
and wool blend fabrics: hydrothermal setting of to stabilize to piece dyeing: influence on mechanical properties and hand *De Boos, Harrigan, Wemyss* 261
blends from cotton and polyester core yarns: comparison with all-cotton and intimate blends: dyeing and DP and FR finishing *Harper, Ruppenicker, Donaldson* 80
carpets from: instrumental techniques to quantify textural changes in: image analysis of carpet pile *Jose, Hollies, Spivak* 591
deposition of polymer latices on fibers: effect of sodium dodecyl sulfate: also cotton *Kawasaki, Tamai, Suzawa* 598
dyed with water soluble anionic dyes: application to solvent-treated polyester: permeability of voids in polyester to the dyes *Kirby, Cates* 304
hand of: polyester, wool, and blends of both assessed for hand by Japanese and American methods *Behery* 227
point-bonded nonwoven fabrics: computer model for predicting fabric strength *Grindstaff, Hansen* 383
thermal insulation materials: heat transfer characteristics of nonwoven polyesters *Obendorf, Smith* 691

Polyethylene
ultra-high strength fibers: effects of strain rate and gauge length on failure: kink bands *Schwartz, Netravali, Sembach* 502

Poly(ethylene Terephthalate)
copolyester fibers: mechanical and physical properties: structure modified by comonomers *Varma, Agarwal, Varma* 364
copolyester fibers: sorption and dyeability *Varma, Agarwal, Varma* 438
melt spun yarns: effects of spinning speed and quench air temperature on characteristics *Kim* 697
tire yarn: microstructure and relation to heat generation in rubber *Yabuki, Iwasaki, Aoki* 41

Polymerization
in cut cotton fibers: a practical process for cutting in the wet state: smaller loss of degree of polymerization *Hon* 333

Polymers
latices from: deposition onto polyester and cotton fibers: effect of sodium dodecyl sulfate *Kawasaki, Tamai, Suzawa* 598
sizing agents: evaluation of fabrics woven with durable polymeric sizing agents *Moreau* 627
stability of: electron spin resonance used to measure formation of free radicals in the melt *Turner* 712

Polypropylene
multifilament yarns: false twist texturing: time-temperature effects *Sengupta, Sen, Mukhopadhyay* 281
multifilament yarns: false twist texturing: reducing feeder yarn crystallinity through tension annealing *Sengupta, Sen, Mukhopadhyay* 389
multifilament yarns: false twist texturization of: reducing feeder yarn crystallinity through melt blending with polyester and polystyrene *Sengupta, Sen, Mukhopadhyay* 425
multifilament yarns: false twist texturization: structural influences on dye uptake *Sengupta, Sen, Mukhopadhyay* 511

Porosity
in dye diffusion kinetics: porosity versus segment mobility: a differential treatment in dyeing of acrylic fibers *Rohner, Zollinger* 1
pore size distributions: an extended range liquid extension method for determining size distributions in fibrous materials *Miller, Tyomkin* 35

Printing
reactive printing of cotton: crosslinked acrylic acid based thickeners: preparation and performance *Bajaj, Chavan, Bhatia* 63

Radiation
effect of gamma radiation sterilization: products for medical end uses *Gorrafa* 337

Rayon
rotor spun yarns: incidence of fiber reversal and change in fiber configuration *Chattopadhyay, Sarkar* 71
twistless and low-twist staple yarns: plain weave fabrics from *Lord, Stuckey* 533

Scanning Electron Microscopy
and x-ray microanalysis: used to study wool morphology and composition *Carr, Holt, Drennan* 669

Scouring
and bleaching of cotton: a low temperature process using sodium chlorite *Gulrajani, Venkatraj* 476
of greasy wool: a strategy to improve dirt recovery from scour liquor effluent *Bateup, Warner* 489

Sewing
seam strength of combat clothing: as related to stress: maximum and minimum strengths *Crow, Dewar* 467

Sewing Needles
fabric resistance to needle piercing: effect of fabric structure *Galuszynski* 339

Shrinkproofing
chlorine/Hercosett® process: factors affecting the zeta potential at wool fiber surfaces *Capablanca, Watt* ... 49
of wool: effect of pretreatments with solvents and polyamines on surface energy of wool *Brooks, Rahman* 473
of wool: grafting methylmethacrylate on DC-corona and chemically pretreated wool *Bhalla, Nigam* 585
of wool: optimized by improved critical surface tension: surface energy *Brooks, Rahman* 164
of wool: sulphite treatments in aqueous organic solvent media: effect on internal lipids *Erra, Coderch, Juliá, Infante, García Dominguez* 611

Silk
bromination of: N-bromosuccinimide and triphenylphosphine: gas chromatography and mass spectrometry *Sakamoto, Masuko, Nakanishi* 429
reactive dyeing of: crosslinking of: high fixation ratio: also wool *Ball, Meyer, Zollinger* 447

Sizing
durable polymeric sizing agents: evaluation of fabrics woven with sizing *Moreau* 627
foam sizing of cotton and blend yarns: slashing trials: energy conservation and reduced wet pickup *Namboodri* 87

Softeners
effect on capillary spreading: spreading of liquids in textile assemblies *Kawase, Sekoguchi, Fujii, Minagawa* .. 617
effect on yarn pull-out force: plain weave fabrics *Sebastian, Bailey, Briscoe, Tabor* 604

Soil Removal
detaching solid particulate soils in a laminar flow: influence of particle diameter on detachment of spherical glass particles *Iwasaki, Hikage, Yabe* 556
dispersion stability of iron oxide particles: effect of zeolite: better environmentally: enhanced soil removal *Kimura, Komaki, Yabe* 309

Sorption
influence of boundary layer on: tables of numerical solutions involving the boundary layer diffusion equation *Etters, Hurwitz* 214
Spinning
melt spun PET: effects of spinning speed and quench air temperature on characteristics *Kim* 697
of acrylic staple yarns: influence of yarn extractive nozzle on apparent loss of twist in rotor OE spun yarns *Manich, de Castellar, Barella* 207
of Sirospun mottle yarns: distribution of twist along *Johnson, Young* 649
open-end spun blended yarns: feasibility of single jersey weft knit fabrics from *Sharma, Mukhopadhyay, Agarwal* 249
rotor spinning of acrylics: effects of fiber properties: predicting processing behavior *Özipek* 354
rotor spinning of rayon fibers: incidence of fiber reversal and change in fiber configuration *Chattopadhyay, Sarkar* 71
winding speed of roving: technique for direct measurement and application to winding draft analysis *Nakazawa, Isshi, Shinohara, Matsuhashi* 171
Strain
effects on polyethylene fibers: strain rate and gauge length: failure of ultra-high strength fibers: kink bands *Schwartz, Netravali, Sembach* 502
Stress-Relaxation
of combat clothing: related to seam strength: maximum and minimum strengths *Crow, Dewar* 467
Surface Properties
of jute: SEM study of different stages of growth *Mukherjee, Mukhopadhyay, Mukhopadhyay* 562
Surface Tension
of wool: shrinkproofing optimized by improved critical surface tension: surface energy *Brooks, Rahman* 164
Surfactants
in wool carbonization: causes and prevention of localized acid damage *Zhao, Johnson* 741
Swelling
of never dried cotton fibers: a meaningful expression of maturity: swollen with water and sodium hydroxide *Peeters, De Langhe, Wijsmans, De Langhe* 621
to cover neps in dyed cotton fabric: effect of sodium hydroxide and liquid ammonia treatments on *Cheek, Wilcock, Hsu* 569

Tenacity
of cotton: measurements with high speed instruments: comparison with conventional methods *Taylor* 92
Tensile Properties
and morphology of acrylic fibers: plastic deformation, crazing, fracturing *Kulshreshtha, Garg, Sharma* ... 484
of weft knitted fabrics: polyester and polyamide yarns and their effects on tensile properties of the knits *Żurek, Cisło, Bialek, Dziewiecka* 241
Tension
critical surface tension of wool: shrinkproofing optimized by improved CST: surface energy *Brooks, Rahman* 164
filling yarn tension: measurement of and influence on fabrics woven on a projectile weaving machine *Chahal, Mohamed* 324
Testing Apparatus
microdust and trash monitor for cotton classification: high speed, accurate standard *Shofner, Williams* 150
Testing Procedures
for short fiber content of cotton: effects on manufacturing and yarn quality: large scale plant trial *Backe* ... 112
image analysis to measure cotton fiber maturity: frame-smashing approach: preliminary investigation *Thibodeaux, Evans* 130
length measurement of cotton fibers: preliminary investigation with Peyer Texlab system: comparability and repeatability *Bargeron* 121
to predict cotton neps: nep counts in one gram of raw cotton used to predict neppiness in yarns and fabrics *Hebert, Mangialardi, Ramey* 108
Texturing
air-jet textured yarns: introduction to process and discussion of advantages: instability tests and yarn quality *Demir, Acar, Wray* 191
false twist: polypropylene multifilament yarns: time-temperature effects *Sengupta, Sen, Mukhopadhyay* 281
false twist: polypropylene multifilament yarns: reducing feeder yarn crystallinity through tension annealing *Sengupta, Sen, Mukhopadhyay* 389
false twist: polypropylene multifilament yarns: reducing feeder yarn crystallinity through melt blending with polyester and polystyrene *Sengupta, Sen, Mukhopadhyay* 425
false twist: polypropylene multifilament yarns: structural influences on dye uptake *Sengupta, Sen, Mukhopadhyay* 511
textural changes in carpet: instrumental techniques to quantify: image analysis of carpet pile *Jose, Hollies, Spivak* 591
Thermal Analyses
metabolic heat problems with firefighters' clothing: water vapor transmission rates as measured by DSC *Day, Sturgeon* 157
of pesticide protective clothing: thermal response associated with two prototype clothing systems *Branson, DeJonge, Munson* 27
Tire Materials
PET tire yarns: microstructure and relation to heat generation in rubber *Yabuki, Iwasaki, Aoki* 41
Twist
apparent loss of: in blended polyester-cotton rotor spun yarns *Barella, Manich, de Castellar* 646
distribution of: along Sirospun mottle yarns *Johnson, Young* 649
false twist texturing of polypropylene multifilament yarns: time-temperature effects *Sengupta, Sen, Mukhopadhyay* 281
false twist texturing of polypropylene multifilament yarns: reducing feeder yarn crystallinity through tension annealing *Sengupta, Sen, Mukhopadhyay* 389
false twist texturing of polypropylene multifilament yarns: reducing feeder yarn crystallinity through melt blending with polyester and polystyrene *Sengupta, Sen, Mukhopadhyay* 425
false twist texturing of polypropylene multifilament yarns: structural influences on dye uptake *Sengupta, Sen, Mukhopadhyay* 511
loss of in acrylic staple yarns: influence of a yarn extractive nozzle on apparent loss of twist in rotor open-end spun yarns *Manich, de Castellar, Barella* 207
of combed cotton yarn: effect of twist factor on knitability *Cooke, Kamal* 679
twistless and low-twist staple yarns: plain weave fabrics from rayon *Lord, Stuckey* 533

Ultra-High Strength Fibers
polyethylene: effect of strain rate and gauge length on failure of: kink bands *Schwartz, Netravali, Sembach* ... 502

Washing
detaching solid particulate soils in a laminar flow: influence of particle diameter on detachment of spherical glass particles *Iwasaki, Hikage, Yabe* 556
Water Vapor
diffusion through clothing: a numerical model of the combined diffusion of heat and water vapor *Farnworth* 653
resistance of textiles: a simple apparatus to measure *van Beest, Wittgen* 566
transmission rates through textiles: measured by differential scanning calorimetry *Day, Sturgeon* 157
Wetting
spreading of liquids in textile assemblies: capillary spreading in cotton, rayon, nylon, and PET *Kawase, Sekoguchi, Fujii, Minagawa* 409
spreading of liquids in textile assemblies: effects of softening on capillary spreading *Kawase, Sekoguchi, Fujii, Minagawa* 617
Weaving
air-jet loom: mechanics of a single nozzle filling insertion system: nozzle design and performance *Mohamed, Salama* 683
air-jet loom: mechanics of a single nozzle filling insertion system: velocity distribution and design of the air guide system *Salama, Mohamed* 721
plain-weave fabrics: from twistless and low twist staple rayon yarns *Lord, Stuckey* 533
projectile weaving machine: measuring filling yarn tension and its influence on woven fabrics *Chahal, Mohamed* 324
weft knitting notation: an alternative method: double jersey fabrics *Cooke, Kamal* 519
with sized cotton fibers: evaluation of fabrics woven with durable polymeric sizing agents *Moreau* 627
Winding
speed of roving: technique for direct measurement and application to winding draft analysis *Nakazawa, Isshi, Shinohara, Matsuhashi* 171
Wool
carbonization of: a new approach to conserve energy and lessen damage to fibers *Kirkpatrick* 67
carbonization of: causes and prevention of localized acid damage in: role of surfactants *Zhao, Johnson* ... 741
high-density compressed bales: role of press wall friction *Abbott, Nason* 715
morphology of: origin of S-carboxymethyl kerateines: SEM study *Greven, Kaplin, Zahn* 523
photoprotection of: sulfonated 2-(2′-hydroxyarl)-2H-benzotriazole UV absorber: dyed wool also protected *Evans, Waters, Wilshire* 203
proteins from cuticle: examinations with two-dimensional gel electrophoresis *Marshall, Ley* 772
reactive dyeing of: crosslinking effects: high fixation ratio: also silk *Ball, Meyer, Zollinger* 447
scouring of greasy wool: a strategy to improve dirt recovery from scour liquor effluent *Bateup, Warner* 489
shrinkproofing of: effect of pretreatments with solvents and polyamines on surface energy of wool *Brooks, Rahman* 473
surface energy of: shrinkproofing optimized by improved critical surface tension *Brooks, Rahman* 164
Wool Fabrics
and polyester blends: hydrothermal setting of to stabilize to piece dyeing: influence on mechanical properties and hand *De Boos, Harrigan, Wemyss* 261
hand of: polyester, wool, and blends of both assessed for hand by Japanese and American methods *Behery* 227
lateral compression of: mechanical model for woven fabrics *de Jong, Snaith, Michie* 759
shrinkproofing of: grafting methyl-methacrylate on DC-corona and chemically pretreated wool *Bhalla, Nigam* 585
shrinkproofing of: sulphite treatments in aqueous organic solvent media: effect on internal lipids *Erra, Coderch, Juliá, Infante, García Dominguez* 611
Wool Fibers
bilateral staining with basic dyes: mechanism of staining cortex *Sakabe, Ito, Miyamoto, Inagaki* 635
blends with cashmere and mohair: quantitative fiber mixture analysis by SEM: study of height of cuticle scale *Wortmann, Arns* 442
bromination of: N-bromosuccinimide and triphenylphosphine: gas chromatography and mass spectrometry *Sakamoto, Masuko, Nakanishi* 429
cut for fineness analysis: a fiber snippet preparer *Buckenham* 341
damage to: investigating by image analysis of light transmission properties *Zhao, Johnson, Willard* 464
diffusion of nonionic compounds from solvent mixtures: fluorescence microscopy study *Holt, Saunders* 415
glycolipids from: isolation and partial characterization of *Nogués, Coderch, Erra* 588
keratin fibers: interaction with copper(II) ions: adsorption mechanism *Fukatsu, Isa* 774
morphology and composition of: electron microscopy and x-ray microanalysis study *Carr, Holt, Drennan* 669
residual set of: a model for predicting set in helices: winding ratios of various wool types explained *de Jong, Michie* 219
sulfhydral groups at surface: detection and analysis by XPS *Carr, Leaver, Hughes* 216
superfine Merino and cashmere: set in bending: comparison of fibers *Tester, Foley* 546
XPS study of epicuticle: chemical composition and reactivity of wool surface *Carr, Leaver, Hughes* 457
zeta potential at fiber surfaces: factors affecting: ageing of wool: shrinkproofing process *Capablanca, Watt* 49

X-Ray Techniques
x-ray fluorescence of cotton lint: chemical analyses of washed, bleached, scoured cotton for removal of byssinotic agents *Domelsmith, Berni, Cocke* 14
x-ray microanalysis and electron microscopy: used to study wool morphology and composition *Carr, Holt, Drennan* 669
x-ray photoelectron spectroscopy: detection and analysis by XPS of sulfhydral groups at the surface of wool fibers *Carr, Leaver, Hughes* 216
x-ray photoelectron spectroscopy: study of wool: chemical composition and reactivity of wool epicuticle *Carr, Leaver, Hughes* 457

Yarns
acrylic staple open-end spun: influence of yarn extractive nozzle on apparent loss of twist in rotor OE spun yarns *Manich, de Castellar, Barella* 207
air-jet textured yarns: introduction to process and discussion of advantages: instability tests and yarn quality *Demir, Acar, Wray* 191
filament-wrapped cotton yarns: from card web: made on converted ring frames *Salaun, Louis, Richard, Folk* 768
filament-wrapped: "X" direction: superior strength and elongation *Louis, Salaun* 161
melt spun PET: effects of spinning speed and quench air temperature on characteristics *Kim* 697

nep formation in cotton yarns: comparison of four determination methods providing similar results *Harrison, Bargeron* 77
PET tire yarns: microstructure and relation to heat generation in rubber *Yabuki, Iwasaki, Aoki* 41
polyamide nylon 6 and 66: dyeing behavior and mechanical properties: effects of fiber structural modification *Moore, Weigmann* 180
rotor spun rayon: incidence of fiber reversal and change in fiber configuration *Chattopadhyay, Sarkar* 71
tenacity response to increasing rotor speed: influence of carding technique *Barella* 336
yarn faults: fiber diameter and length in thin places *Lamb* 526

Yellowing
of carbonized wool: a new approach to conserve energy and lessen damage to fibers: increased yellowing *Kirkpatrick* 67
of photoprotected wool: treated with a sulfonated 2-(2′-hydroxyarl)-2H-benzotriazole UV absorber: dyed wool also protected *Evans, Waters, Wilshire* 203

Zeta Potential
at wool fiber surfaces: factors affecting: ageing of wool: shrinkproofing process *Capablanca, Watt* 49